

# SOC/VOC Status Report

(active community and NTNC systems)

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
2259	76 Ranch Estates	01 Well #1	SOC 549	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	03/21/13	Triennial Monitoring.	Scheduled In 2016
0020	Aberdeen	09 Treatment Plant	SOC 549	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	05/31/16	Detections	Detection Samples Due In 2016
			SOC 515	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	05/15/14	Triennial Monitoring.	Scheduled In 2017
0621	Aurora-Brule Rural Water System	10 Treatment Plant	SOC 549	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/14/15	Triennial Monitoring.	Scheduled In 2018
2240	Autumn Meadows Sanitary District	02 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
2122	B & J Mobile Home Park	02 Treat Site - Well #2	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
0037	Belle Fourche	01 Treat Site - Gallery	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	09/08/14	Triennial Monitoring.	Scheduled In 2017
0037	Belle Fourche	02 Treat Site - Well #1	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	09/08/14	Triennial Monitoring.	Scheduled In 2017
0037	Belle Fourche	03 Treat Site - Well #2	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	09/08/14	Triennial Monitoring.	Scheduled In 2017
0387	Bestgen Water Company	01 Treat Site - Well #1	SOC 549	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/24/15	Triennial Monitoring.	Scheduled In 2018
0426	Bicentennial Trailer Court	01 Treat Site - Well #1	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/03/15	Triennial Monitoring.	Scheduled In 2018
0429	Big Sioux Community Water System	06 Egan Plant	SOC 549	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	05/12/15	Triennial Monitoring.	Scheduled In 2018
0043	Black Hawk Water User District	04 Treat Site - Well #4	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017
0043	Black Hawk Water User District	11 Treat Site - Well #5	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017
2121	Black Hills Children's Home	03 Treat Site - Well #3	SOC 549	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	12/11/13	Triennial Monitoring.	Scheduled In 2016
2144	Black Hills Water Distribution, LLC	04 Graf Well	SOC 549	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	11/12/13	Triennial Monitoring.	Scheduled In 2016
0324	Blucksberg Mtn Water Association	01 Treat Site - Well #1	SOC 549	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/22/15	Triennial Monitoring.	Scheduled In 2018
0324	Blucksberg Mtn Water Association	02 Treat Site - Well #2	SOC 549	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/22/15	Triennial Monitoring.	Scheduled In 2018
0324	Blucksberg Mtn Water Association	03 Treat Site - Well #3	SOC 549	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/22/15	Triennial Monitoring.	Scheduled In 2018
2057	Blumengard Colony	01 Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/14/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0865	Bon Homme-Yankton RWS	13 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	05/23/16	Triennial Monitoring.	Scheduled In 2019
2005	Boulder Park Water Users Association	02 Treat Site - Well #2	SOC 549	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/24/13	Triennial Monitoring.	Scheduled In 2016
0046	Box Elder	06 Treat Site - Well #4	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	07/15/14	Triennial Monitoring.	Scheduled In 2017
0046	Box Elder	15 Treat Site - Well #6	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	07/15/14	Triennial Monitoring.	Scheduled In 2017
8000	Boxelder Civilian Conservation Ctr	03 Treatment Plant	SOC 549	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/04/16	Triennial Monitoring.	Scheduled In 2019
2276	Boxelder High Country Association	01 Well #1	SOC 549	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 548	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 547	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 531	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 525	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 515	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 504	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			VOC 524	No Samples	Quarterly Monitoring.	No Samples In Database
0048	Brandon	11 Treat Plt - Well #6/#1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/14/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
2066	Brentwood Colony	04 Well #3	SOC 549	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	05/23/16	Triennial Monitoring.	Scheduled In 2019
0071	Brookings Municipal Utilities	11 East Treatment Plant	SOC 549	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/25/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	11/24/14	Triennial Monitoring.	Scheduled In 2017
0071	Brookings Municipal Utilities	12 North Treatment Plt.	SOC 549	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/30/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	11/24/14	Triennial Monitoring.	Scheduled In 2017
0430	Brookings-Deuel Rural Water System	11 Bruce Plant/joint	SOC 549	03/29/05	Waivers	Sampling Not Required
			SOC 548	03/29/05	Waivers	Sampling Not Required
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	04/16/03	Waivers	Sampling Not Required
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	04/16/03	Waivers	Sampling Not Required
			VOC 524	07/13/15	Triennial Monitoring.	Scheduled In 2018
0430	Brookings-Deuel Rural Water System	14 Clear Lake Plant	SOC 549	03/29/05	Waivers	Sampling Not Required
			SOC 548	03/29/05	Waivers	Sampling Not Required
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	04/16/03	Waivers	Sampling Not Required
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	04/16/03	Waivers	Sampling Not Required
			VOC 524	07/13/15	Triennial Monitoring.	Scheduled In 2018
0882	Brown-Day-Marshall RWS	04 Treatment Plant	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/19/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0078	Buffalo	02 Treat Site - Well #3	SOC 549	06/17/14	Waivers	Sampling Not Required
			SOC 548	06/17/14	Waivers	Sampling Not Required
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Waivers	Sampling Not Required
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	06/17/14	Waivers	Sampling Not Required
			VOC 524	07/24/14	Triennial Monitoring.	Scheduled In 2017
0078	Buffalo	04 Treat Site - Well #5	SOC 549	06/17/14	Waivers	Sampling Not Required
			SOC 548	06/17/14	Waivers	Sampling Not Required
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Waivers	Sampling Not Required
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/17/14	Waivers	Sampling Not Required
			VOC 524	07/24/14	Triennial Monitoring.	Scheduled In 2017
0078	Buffalo	03 Treat Site - Well #4	SOC 549	06/17/14	Waivers	Sampling Not Required
			SOC 548	06/17/14	Waivers	Sampling Not Required
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Waivers	Sampling Not Required
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/17/14	Waivers	Sampling Not Required
			VOC 524	07/24/14	Triennial Monitoring.	Scheduled In 2017
0077	Buffalo Gap	01 Treat Site - Well #1	SOC 549	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	12/09/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	12/11/14	Triennial Monitoring.	Scheduled In 2017
0223	Butte-Meade SWD-Bean Well	02 Treat Site - Bean Well	SOC 549	05/16/05	Waivers	Sampling Not Required
			SOC 548	05/16/05	Waivers	Sampling Not Required
			SOC 547	05/16/05	Waivers	Sampling Not Required
			SOC 531	05/16/05	Waivers	Sampling Not Required
			SOC 525	05/16/05	Waivers	Sampling Not Required
			SOC 515	05/16/05	Waivers	Sampling Not Required
			SOC 504	05/16/05	Waivers	Sampling Not Required
			VOC 524	06/20/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
2314	Butte-Meade SWD-Vale Well	03 Treat Site - Vale Well	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/13/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0774	CSP-Game Lodge	01 Treat Site - Tp Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/05/16	Triennial Monitoring.	Scheduled In 2019
0774	CSP-Game Lodge	02 Treat Site - Cool Well #2	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2013
			VOC 524	08/28/13	Triennial Monitoring.	Scheduled In 2016
2345	Camrose Colony	02 Treat Site - Well	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/24/16	Quarterly Reduced To Annual.	Scheduled In 2019
0081	Canova	04 Treat Site - Well #1 North	SOC 549	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 548	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 531	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			SOC 504	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2014
			VOC 524	04/18/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
0082	Canton	12 Ep Well #1#8#6#9#12	SOC 549	09/19/94	Waivers	Sampling Not Required
			SOC 548	05/09/94	Waivers	Sampling Not Required
			SOC 547	02/07/94	Waivers	Sampling Not Required
			SOC 531	02/07/94	Waivers	Sampling Not Required
			SOC 525	11/28/95	Waivers	Sampling Not Required
			SOC 515	11/02/93	Waivers	Sampling Not Required
			SOC 504	11/02/93	Waivers	Sampling Not Required
			VOC 524	04/14/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
2311	Canyon Springs Preserve HOA	02 Treat Site	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Annual Reduced To Triennial.	Scheduled In 2019
0265	Carriage Hills	02 Treat Site - Well #1	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
0002	Castlewood	03 Treat Site - Well #1	SOC 549	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	12/01/14	Triennial Monitoring.	Scheduled In 2017
0002	Castlewood	04 Treat Site - Well #2	SOC 549	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	12/01/14	Triennial Monitoring.	Scheduled In 2017
2106	Cavalry Trails Homeowner Association	01 Treat Site - Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	12/13/13	Triennial Monitoring.	Scheduled In 2016
2301	Cedar Gulch I	01 Well #1	SOC 549	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	07/31/14	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	12/30/15	Annual Monitoring.	Scheduled In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
2295	Cedar Gulch II	06 Treat Site - Well #2	SOC 549	04/17/12	Waivers	Sampling Not Required
			SOC 548	04/17/12	Waivers	Sampling Not Required
			SOC 547	04/17/12	Waivers	Sampling Not Required
			SOC 531	04/17/12	Waivers	Sampling Not Required
			SOC 525	04/17/12	Waivers	Sampling Not Required
			SOC 515	04/17/12	Waivers	Sampling Not Required
			SOC 504	04/17/12	Waivers	Sampling Not Required
			VOC 524	02/05/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2176	Centennial Hills Home Association	01 Well #1	SOC 549	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	05/23/16	Triennial Monitoring.	Scheduled In 2019
0086	Chamberlain	05 Treatment Plant	SOC 549	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0264	Chapel Lane Water Company	02 Treat Site - Well #2	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
0088	Chester Sanitary District	03 Treatment Plant	SOC 549	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/16/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	05/20/14	Triennial Monitoring.	Scheduled In 2017
0257	Cimarron Park	01 Treat Site - Well #1	SOC 549	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/05/15	Triennial Monitoring.	Scheduled In 2018
0881	Clark Rural Water System	06 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	08/02/16	Triennial Monitoring.	Scheduled In 2019
2277	Clark Rural Water-Kampeska	03 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	08/02/16	Triennial Monitoring.	Scheduled In 2019
2185	Clay RWS/South Union	03 Treatment Plant	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/04/15	Waivers	Scheduled In 2018
0626	Clay Rural Water System	03 Treatment Plant	SOC 549	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	05/12/15	Triennial Monitoring.	Scheduled In 2018
2020	Clearfield Colony	05 Entry Pt - East/west	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/19/13	Groundwater Waiver - Sample Every Six	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status		Sampling Requirements
					Years.		
2150	Coca Cola Bottling Co	01 Treat Site - Well #1	SOC 549	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 547	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100%	Complete	A Sample Due In 2019
		VOC 524	08/15/16	Triennial Monitoring.		Scheduled In 2019	
0094	Colome	05 Treat Site - Well #1	SOC 549	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 548	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 547	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 531	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 525	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 515	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 504	11/03/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
		VOC 524	02/09/15	Triennial Monitoring.		Scheduled In 2014	
0263	Colonial Pine Hills Sanitary District	09 Treat Site - Nonanna	SOC 549	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 548	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 547	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 531	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 525	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 515	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
			SOC 504	04/28/09	Triennial Monitoring - 100%	Complete	A Sample Due In 2012
		VOC 524	10/30/09	Triennial Monitoring.		Scheduled In 2015	
0263	Colonial Pine Hills Sanitary District	13 Treat Site - Conifer Well	SOC 549	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
		VOC 524	10/28/15	Triennial Monitoring.		Scheduled In 2018	
0263	Colonial Pine Hills Sanitary District	20 Treat Site - Croyle 2	SOC 549	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100%	Complete	A Sample Due In 2018
		VOC 524	10/28/15	Triennial Monitoring.		Scheduled In 2018	
0009	Corona	01 Treat Site - Well #1	SOC 549	11/12/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 548	11/12/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017
			SOC 547	11/12/14	Triennial Monitoring - 100%	Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	11/12/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	11/12/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	11/12/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	11/12/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/19/14	Triennial Monitoring.	Scheduled In 2017
2225	Cottonwood Grove Mobile Home Park	01 Well #1	SOC 549	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	08/14/13	Triennial Monitoring.	Scheduled In 2016
0629	Country Club Estates	01 Treat Site - Well #1	SOC 549	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/21/15	Triennial Monitoring.	Scheduled In 2018
2290	Creative Kids Too Preschool & Daycare	01 Treat Site - Well #1	SOC 549	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	02/01/16	Triennial Monitoring.	Scheduled In 2019
0915	Crooked Oaks Canyon Homeowners	03 Treat Site For Well #2	SOC 549	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/23/16	Triennial Monitoring.	Scheduled In 2019
0101	Custer	01 Plant 9 For Well #9 Fc 1	SOC 549	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	08/20/14	Triennial Monitoring.	Scheduled In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0101	Custer	12 Plant 2 For Well #14	SOC 549	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	08/20/14	Triennial Monitoring.	Scheduled In 2017
0101	Custer	14 Plant 3 For Well #2	SOC 549	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	08/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	08/20/14	Triennial Monitoring.	Scheduled In 2017
0392	D & E Water Company	01 Treat Site - Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
2204	D&J Mobile Home Park	04 Treat Site - Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
2093	Dakota Dunes CID	03 Treatment Plant	SOC 549	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	07/26/16	Triennial Monitoring.	Scheduled In 2019
0059	DeSmet	03 Treat Site - Well #8	SOC 549	07/10/96	Waivers	Sampling Not Required
			SOC 548	07/10/96	Waivers	Sampling Not Required
			SOC 547	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/10/96	Waivers	Sampling Not Required

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/17/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/10/96	Waivers	Sampling Not Required
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
2095	Deberg Well Users Association	01 Well #1	SOC 549	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	11/11/13	Triennial Monitoring.	Scheduled In 2016
0549	Deer Mountain/Union Resort	01 Treatment Plant	SOC 549	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/22/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/22/15	Triennial Monitoring.	Scheduled In 2018
2056	Deerfield Colony	03 New Well	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	10/02/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2241	Dry Creek Estates	02 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
2307	Eagle Water Company	02 Treatment Plant	SOC 549	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	03/21/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/30/15	Annual Reduced To Triennial.	Scheduled In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
1000	East Ridge Acres	01 Treat Site - South	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
VOC 524	06/20/16	Triennial Monitoring - 100% Complete	Scheduled In 2019			
0273	Edelweiss Mountain Improvement Assoc	03 Entry Pt For 3 Wells	SOC 549	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	11/03/15	Triennial Monitoring.	Scheduled In 2018			
0114	Edgemont	10 Entry Pt Tva & Rr/bn	SOC 549	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	08/18/14	Triennial Monitoring.	Scheduled In 2017			
0114	Edgemont	11 Treat Site - Well #2	SOC 549	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	04/18/16	Detections	Detection Samples Due In 2016
			SOC 515	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	08/18/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	08/18/14	Triennial Monitoring.	Scheduled In 2017			
2237	Elk Creek Village	02 Treat Site - Well #1&#2	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016			
0116	Elk Point	04 Treatment Plant	SOC 549	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
2189	Elk Valley Ranchettes	05 Treat Site - Well #2	SOC 549	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/24/13	Triennial Monitoring.	Scheduled In 2016
0640	Enning Elementary School	01 Treat Site For Well #1	SOC 549	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	11/07/13	Triennial Monitoring.	Scheduled In 2016
0119	Estelline	10 Treat Site - New Well #3 & #4	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	07/23/14	Triennial Monitoring.	Scheduled In 2017
2050	Evergreen Colony	05 Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/25/16	Triennial Monitoring.	Scheduled In 2019
2316	Fall River WUD-North	02 Treat Site - North Well	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Annual Reduced To Triennial.	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
2201	Fall River WUD-South	09 Fr South - Treat Site	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Detections	Detection Samples Due In 2016
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Quarterly Reduced To Annual.	Scheduled In 2019
0925	Flying J Travel Plaza	02 Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
2064	Fordham Colony	12 Treat Site - New South Well	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/04/13	Triennial Monitoring.	Scheduled In 2016
8002	Fort Meade VA Center	08 Treatment Plant	SOC 549	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	07/15/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	07/15/13	Triennial Monitoring.	Scheduled In 2016
0643	GCC Dacotah - East/West/North	05 Entry Pt - E/w/n Wells	SOC 549	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	12/06/13	Triennial Monitoring.	Scheduled In 2016
2070	GCC Dacotah-North Quarry Well	01 North Quarry Well	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	12/06/13	Triennial Monitoring.	Scheduled In 2016
0137	Garden City	03 Treat Site - Well #1 And #2	SOC 549	10/21/96	Waivers	Sampling Not Required
			SOC 548	10/21/96	Waivers	Sampling Not Required
			SOC 547	10/21/96	Waivers	Sampling Not Required
			SOC 531	10/21/96	Waivers	Sampling Not Required
			SOC 525	10/21/96	Waivers	Sampling Not Required
			SOC 515	02/27/96	Waivers	Sampling Not Required
			SOC 504	10/21/96	Waivers	Sampling Not Required
			VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017
2060	Glendale Colony	08 Treat Site - Well #2 And #3	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/04/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2213	Golden Hills Homes	01 Treat Site - Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
0516	Golden Meadows	01 Treat Site - Well #1	SOC 549	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	01/21/15	Triennial Monitoring.	Scheduled In 2018
2261	Golden Valley Water Company	02 Treat Site - Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0864	Grant-Roberts Rural Water System	04 Treatment Plant	SOC 549	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/09/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	08/28/13	Triennial Monitoring.	Scheduled In 2016
2028	Grassland Colony	04 Treat Site Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	07/24/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2218	Green Acres Estates	01 Well #1	SOC 549	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	01/29/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	01/13/16	Triennial Monitoring.	Scheduled In 2019
2022	Greenwood Colony	06 Entry Point - Well #4	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	06/25/13	Triennial Monitoring.	Scheduled In 2016
0145	Gregory	04 Treat Plant - 02 03	SOC 549	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/24/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/12/14	Triennial Monitoring.	Scheduled In 2017
0669	Happy Holiday RV Resort	05 Well #1	SOC 549	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/13/13	Triennial Monitoring.	Scheduled In 2016
0910	Hart Ranch	01 Treat Site - Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	05/09/13	Triennial Monitoring.	Scheduled In 2016
0910	Hart Ranch	03 Treat Site - Well #2	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	05/09/13	Triennial Monitoring.	Scheduled In 2016
2235	Heartland Country Ranchettes	01 Treat Site Well #1	SOC 549	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/19/16	Triennial Monitoring.	Scheduled In 2019
2180	Hermosa Water Users Association	07 Treat Site - New West Well	SOC 549	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	07/08/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	06/21/16	Triennial Monitoring.	Scheduled In 2019
0154	Hermosa-Old System	01 Treat Site Well #1	SOC 549	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	04/28/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/02/14	Triennial Monitoring.	Scheduled In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0269	Hidden Valley Water Association Inc	01 Treat Site - Well #1	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	08/19/15	Triennial Monitoring.	Scheduled In 2018			
0011	High Meadows Ranchettes	01 Treat Site - Well #1	SOC 549	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	01/13/14	Triennial Monitoring.	Scheduled In 2017			
0395	High Meadows Water Company	01 Treat Site - Well #1	SOC 549	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	05/04/15	Triennial Monitoring.	Scheduled In 2018			
2234	High Sheridan Ranch	01 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019			
0050	Highland Hills	01 Treat Site - Well #1	SOC 549	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/02/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	02/03/14	Triennial Monitoring.	Scheduled In 2017			
0159	Hill City	03 Treat Site - Well #1a	SOC 549	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/06/14	Triennial Monitoring.	Scheduled In 2017
0159	Hill City	06 Treat Site - Well #4	SOC 549	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	11/06/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/06/14	Triennial Monitoring.	Scheduled In 2017
0271	Hisega Meadows Water Inc	01 Treat Site - Gallery	SOC 549	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/24/15	Triennial Monitoring.	Scheduled In 2018
2266	Horseshoe Acres	02 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	07/14/16	Triennial Monitoring - 100% Complete	Scheduled In 2019
0163	Hot Springs	01 Treat Site - Hot Brook	SOC 549	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 548	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 547	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 531	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 525	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 515	12/16/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 504	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			VOC 524	03/17/14	Triennial Monitoring.	Scheduled In 2017
0163	Hot Springs	02 Treat Site - Evans Wells	SOC 549	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	10/20/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	03/17/14	Triennial Monitoring.	Scheduled In 2017
8003	Hot Springs VA Center	01 Treat Site - Spring	SOC 549	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 548	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	07/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	07/11/13	Triennial Monitoring.	Scheduled In 2016
2042	Huron Colony	04 Entry Pt - #3-cemetery Well	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	08/05/13	Triennial Monitoring.	Scheduled In 2016
2026	Huttenville Colony South Dakota Inc	01 Treat Site - Well #1#3	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/20/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0060	Jefferson	03 Treatment Plant	SOC 549	06/25/14	Waivers	Sampling Not Required
			SOC 548	06/25/14	Waivers	Sampling Not Required
			SOC 547	06/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/25/14	Waivers	Sampling Not Required
			SOC 525	06/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/25/14	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0314	Ken's Trailer Court	04 Entry Point Well #1 & #2	SOC 549	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	09/10/15	Triennial Monitoring.	Scheduled In 2018
1082	Keystone	04 Treat Site - #1 #2	SOC 549	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/18/16	Triennial Monitoring.	Scheduled In 2019
1082	Keystone	06 Treat Site - #4	SOC 549	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/18/16	Triennial Monitoring.	Scheduled In 2019
1082	Keystone	12 Treat Site - #5	SOC 549	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 548	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 547	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 531	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 525	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 515	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 504	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			VOC 524	08/02/16	Initial Monitoring.	Scheduled In 2019
0511	Kingbrook II Rural Water System	05 Desmet Treatment Plant	SOC 549	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	08/10/15	Triennial Monitoring.	Scheduled In 2018
0874	Kingbrook III Rural Water System	03 Chester Plant	SOC 549	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	03/09/16	Triennial Monitoring.	Scheduled In 2019
2308	Klein School	01 Treat Site - Well #1	SOC 549	10/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/29/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	10/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	10/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	10/01/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/29/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/29/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	08/05/14	Annual Reduced To Triennial.	Scheduled In 2016
0187	Lake Norden	06 Treatment Plant	SOC 549	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 548	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/10/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/28/14	Triennial Monitoring.	Scheduled In 2017
2108	Lakeside Water Users District	03 Treat Site - Well #1 Big E	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	12/02/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2017	Lakeview Colony	02 Treat Site - Well #2	SOC 549	09/27/10	Waivers	Sampling Not Required
			SOC 548	09/27/10	Waivers	Sampling Not Required
			SOC 547	09/27/10	Waivers	Sampling Not Required
			SOC 531	09/27/10	Waivers	Sampling Not Required
			SOC 525	09/27/10	Waivers	Sampling Not Required
			SOC 515	09/27/10	Waivers	Sampling Not Required
			SOC 504	09/27/10	Waivers	Sampling Not Required
			VOC 524	05/13/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0939	Lakeview Elementary School	01 Treat Site For Well #1	SOC 549	05/16/05	Waivers	Sampling Not Required
			SOC 548	05/16/05	Waivers	Sampling Not Required
			SOC 547	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/16/05	Waivers	Sampling Not Required
			SOC 504	05/16/05	Waivers	Sampling Not Required
			VOC 524	09/29/13	Triennial Monitoring.	Scheduled In 2016
0315	Lantern Estates	01 Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/11/15	Triennial Monitoring.	Scheduled In 2018
0547	Laughing Water Restaurant at Crazy Horse	08 Treat Site - #3/duff Well	SOC 549	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/24/15	Triennial Monitoring.	Scheduled In 2018
0547	Laughing Water Restaurant at Crazy Horse	10 Treat Site - #4/hamm Well	SOC 549	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/24/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/24/15	Annual Reduced To Triennial.	Scheduled In 2018
0190	Lead-Deadwood Sanitary District	25 Ldsd Treatment Plant	SOC 549	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	06/04/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	05/06/14	Triennial Monitoring.	Scheduled In 2017
2288	Lewis and Clark Regional Water System	02 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	09/21/15	Annual Monitoring.	Scheduled In 2018
2250	Lofty Pines II	02 Treat Site - Lp II	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
2051	Long Lake Colony	01 Treat Site - Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/04/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0940	Long Valley Elementary School	01 Well #1	SOC 549	04/07/95	Waivers	Sampling Not Required
			SOC 548	04/07/95	Waivers	Sampling Not Required
			SOC 547	04/07/95	Waivers	Sampling Not Required
			SOC 531	04/07/95	Waivers	Sampling Not Required
			SOC 525	04/07/95	Waivers	Sampling Not Required
			SOC 515	04/07/95	Waivers	Sampling Not Required
			SOC 504	09/18/95	Waivers	Sampling Not Required
			VOC 524	11/20/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0416	Lourie Lane Homeowners Assoc	01 Well #1n	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/08/15	Triennial Monitoring.	Scheduled In 2018
0416	Lourie Lane Homeowners Assoc	02 Well #2s	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/08/15	Triennial Monitoring - 100% Complete	Scheduled In 2018
0199	Madison	10 Treatment Plant	SOC 549	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/23/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	05/24/16	Triennial Monitoring - 100% Complete	Scheduled In 2019
0202	Martin	03 Treat Site - Well #3	SOC 549	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/14/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
0202	Martin	11 Treat Site - Well #5	SOC 549	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
0203	Marvin	06 Treat Site - New Well	SOC 549	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/23/14	Triennial Monitoring.	Scheduled In 2017
2023	Maxwell Colony	01 #1 - Turkey Well	SOC 549	04/01/98	Waivers	Sampling Not Required
			SOC 548	04/01/98	Waivers	Sampling Not Required
			SOC 547	04/01/98	Waivers	Sampling Not Required
			SOC 531	04/01/98	Waivers	Sampling Not Required
			SOC 525	06/22/98	Waivers	Sampling Not Required
			SOC 515	05/19/98	Waivers	Sampling Not Required
			SOC 504	04/01/98	Waivers	Sampling Not Required
			VOC 524	02/13/14	Triennial Monitoring.	Scheduled In 2016
0197	McIntosh	03 Treat Site - Well #1	SOC 549	07/20/95	Waivers	Sampling Not Required
			SOC 548	07/20/95	Waivers	Sampling Not Required
			SOC 547	07/20/95	Waivers	Sampling Not Required
			SOC 531	07/20/95	Waivers	Sampling Not Required
			SOC 525	06/29/95	Waivers	Sampling Not Required
			SOC 515	06/29/95	Waivers	Sampling Not Required
			SOC 504	06/29/95	Waivers	Sampling Not Required
			VOC 524	10/14/14	Triennial Monitoring.	Scheduled In 2017
0198	McLaughlin	01 Treat Site - #5/keller/lefty Well	SOC 549	10/09/96	Waivers	Sampling Not Required
			SOC 548	10/09/96	Waivers	Sampling Not Required
			SOC 547	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/30/02	Waivers	Sampling Not Required
			SOC 525	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/09/96	Waivers	Sampling Not Required
			VOC 524	07/22/14	Triennial Monitoring.	Scheduled In 2017
0198	McLaughlin	05 Treat Site - #4/heir Well	SOC 549	10/09/96	Waivers	Sampling Not Required
			SOC 548	10/09/96	Waivers	Sampling Not Required
			SOC 547	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/30/02	Waivers	Sampling Not Required
			SOC 525	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/09/96	Waivers	Sampling Not Required
			VOC 524	07/22/14	Triennial Monitoring.	Scheduled In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0198	McLaughlin	03 Treat Site - #1/baseball/public Health Well	SOC 549	10/09/96	Waivers	Sampling Not Required
			SOC 548	10/09/96	Waivers	Sampling Not Required
			SOC 547	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/30/02	Waivers	Sampling Not Required
			SOC 525	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/09/96	Waivers	Sampling Not Required
VOC 524	07/22/14	Triennial Monitoring.	Scheduled In 2017			
0198	McLaughlin	06 Entry Pt - Well #3/leonard	SOC 549	10/09/96	Waivers	Sampling Not Required
			SOC 548	10/09/96	Waivers	Sampling Not Required
			SOC 547	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/30/02	Waivers	Sampling Not Required
			SOC 525	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/22/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	06/13/11	Waivers	Sampling Not Required
VOC 524	07/22/14	Triennial Monitoring.	Scheduled In 2017			
0518	Merchen's Mobile Home Acres	01 Treat Site - Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	09/08/15	Triennial Monitoring.	Scheduled In 2018			
2177	Mesa View Water Association	03 Entry Pt For Well #1/#2	SOC 549	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
VOC 524	09/19/13	Triennial Monitoring.	Scheduled In 2016			
2175	Mid-Dakota Rural Water	05 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
VOC 524	03/14/16	Triennial Monitoring.	Scheduled In 2019			
0515	Midland Heights	01 Treat Site - Well #1	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
0207	Milbank	05 Treatment Plant	SOC 549	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 548	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 547	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 531	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 525	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 515	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			SOC 504	06/08/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2014
			VOC 524	05/21/14	Triennial Monitoring.	Scheduled In 2017
0432	Minnehaha Community Water Corp	10 North Treatment Plant	SOC 549	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	05/12/15	Triennial Monitoring.	Scheduled In 2018
0432	Minnehaha Community Water Corp	28 South Treatment Plant	SOC 549	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/16/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	05/12/15	Triennial Monitoring.	Scheduled In 2018
0215	Mobridge	05 Treatment Plant	SOC 549	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	07/22/14	Triennial Monitoring.	Scheduled In 2017
0218	Morristown	02 Treat Site For Well #2/#3/#4	SOC 549	11/28/05	Waivers	Sampling Not Required
			SOC 548	11/28/05	Waivers	Sampling Not Required
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	11/28/05	Waivers	Sampling Not Required
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/21/11	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	11/28/05	Waivers	Sampling Not Required
			VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
2169	Mountain Plains 2 Homeowners Assoc	02 Treat Site - Well #2	SOC 549	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019			
2169	Mountain Plains 2 Homeowners Assoc	03 Treat Site - Well #3	SOC 549	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019			
8046	NPS-Mount Rushmore National Memorial	07 Treatment Plant	SOC 549	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
VOC 524	11/24/15	Triennial Monitoring.	Scheduled In 2018			
8047	NPS-Wind Cave National Park	01 Treat Site - Well #1&new #2	SOC 549	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/24/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
VOC 524	08/16/10	Triennial Monitoring.	Scheduled In 2016			
0224	New Underwood	08 Entry Point - Well #2	SOC 549	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	02/25/14	Triennial Monitoring.	Scheduled In 2017			
2081	Newdale Colony	07 Treat Site - New Well	SOC 549	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	08/15/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	07/26/16	Annual Monitoring.	Scheduled In 2019
0222	Newell	07 Treat Site - New West	SOC 549	09/25/06	Waivers	Sampling Not Required
			SOC 548	09/25/06	Waivers	Sampling Not Required
			SOC 547	09/25/06	Waivers	Sampling Not Required
			SOC 531	09/25/06	Waivers	Sampling Not Required
			SOC 525	09/25/06	Waivers	Sampling Not Required
			SOC 515	09/25/06	Waivers	Sampling Not Required
			SOC 504	09/25/06	Waivers	Sampling Not Required
			VOC 524	08/17/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
0222	Newell	13 Treat Site - New East	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/17/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017
2029	Newport Colony	11 Entry Shallow/artesian Wells	SOC 549	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 548	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 547	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 531	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 525	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 515	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 504	08/15/16	Quarterly Monitoring - 75% Complete	A Sample Due In The Fourth Quarter Of 2016
			VOC 524	06/30/16	Triennial Monitoring.	Scheduled In 2019
0225	Nisland	01 Treat Site - Well #1	SOC 549	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	02/25/14	Triennial Monitoring.	Scheduled In 2017
2349	Norris Peak Water Users Assoc	03 Treat Site - Well #1#2	SOC 549	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 548	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 547	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 531	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 525	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 515	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 504	04/19/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			VOC 524	04/19/16	Initial Monitoring.	Scheduled In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0226	North Sioux City	03 Treatment Plant - Nsc	SOC 549	03/26/08	Waivers	Sampling Not Required
			SOC 548	03/26/08	Waivers	Sampling Not Required
			SOC 547	09/18/02	Waivers	Sampling Not Required
			SOC 531	09/18/02	Waivers	Sampling Not Required
			SOC 525	09/18/02	Waivers	Sampling Not Required
			SOC 515	09/18/02	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	04/06/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017			
0226	North Sioux City	11 Mccook Tr. Plant	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	09/18/02	Waivers	Sampling Not Required
			SOC 531	09/18/02	Waivers	Sampling Not Required
			SOC 525	09/18/02	Waivers	Sampling Not Required
			SOC 515	09/18/02	Waivers	Sampling Not Required
			SOC 504	11/03/97	Waivers	Sampling Not Required
VOC 524	04/06/11	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2017			
0514	Northdale Sanitary District	01 Treat Site - Well #1/#2	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	09/15/15	Triennial Monitoring.	Scheduled In 2018			
0228	Nunda	01 Well #1	SOC 549	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017			
0229	Oacoma	05 Entry Point	SOC 549	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	09/23/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017			
2151	Oak Mountain Country Estates	06 Treat Site - Well #2 Cemetery	SOC 549	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/09/16		Scheduled In 2019
2135	Oaks Water Users Association	04 Treat Site - Well #2	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
2310	Owanka Rural Water System	03 Treat Site - Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	01/15/14	Annual Reduced To Triennial.	Scheduled In 2016
2000	Peaceful Pines II	01 Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	12/12/13	Triennial Monitoring.	Scheduled In 2016
2073	Pearl Creek Colony	02 Well #1 South	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/05/13	Triennial Monitoring.	Scheduled In 2016
0354	Pelican Plaza	05 Entry Pt - Well #3#4	SOC 549	09/14/09	Waivers	Sampling Not Required
			SOC 548	09/14/09	Waivers	Sampling Not Required
			SOC 547	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	09/14/09	Waivers	Sampling Not Required
			SOC 525	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	09/14/09	Waivers	Sampling Not Required

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	12/14/15	Triennial Monitoring.	Scheduled In 2018
0354	Pelican Plaza	07 Entry Pt - Well #1#2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	09/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	12/14/15	Triennial Monitoring.	Scheduled In 2018
0242	Pierre	01 Treat Site - Well #1	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	02 Treat Site - Well #2	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	03 Treat Site - Well #3	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	05 Treat Site - Well #5	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	06 Treat Site - Well #6	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	07 Treat Site - Well #7	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	08 Treat Site - Well #8	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/04/16		Scheduled In 2019
0242	Pierre	10 Treat Site - Well #10	SOC 549	08/14/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	08/14/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	08/14/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	08/14/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	09 Treat Site - Well #9	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017
0242	Pierre	11 Treat Site - Well #11	SOC 549	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	01/03/95	Waivers	Sampling Not Required
			SOC 547	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 531	11/20/02	Waivers	Sampling Not Required
			SOC 525	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	07/28/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/19/14	Triennial Monitoring.	Scheduled In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0242	Pierre	28 Treat Site - Well #12	SOC 549	07/28/14	Triennial Monitoring - 100% Complete Waivers Triennial Monitoring - 100% Complete Waivers Triennial Monitoring - 100% Complete Triennial Monitoring - 100% Complete Waivers Triennial Monitoring.	Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Two Consecutive Quarterly Samples Due In 2017 Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Scheduled In 2017
			SOC 548	No Samples		
			SOC 547	07/28/14		
			SOC 531	12/13/04		
			SOC 525	07/28/14		
			SOC 515	07/28/14		
			SOC 504	No Samples		
VOC 524	05/19/14					
0242	Pierre	29 Treat Site - Well #13	SOC 549	07/28/14	Triennial Monitoring - 100% Complete Waivers Triennial Monitoring - 100% Complete Waivers Triennial Monitoring - 100% Complete Triennial Monitoring - 100% Complete Waivers Triennial Monitoring.	Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Two Consecutive Quarterly Samples Due In 2017 Two Consecutive Quarterly Samples Due In 2017 Sampling Not Required Scheduled In 2017
			SOC 548	No Samples		
			SOC 547	07/28/14		
			SOC 531	12/13/04		
			SOC 525	07/28/14		
			SOC 515	07/28/14		
			SOC 504	No Samples		
VOC 524	05/19/14					
0270	Pine Cliff Estates	03 Treat Site Well #1w/#2e	SOC 549	07/21/15	Triennial Monitoring - 100% Complete Triennial Monitoring.	A Sample Due In 2018 A Sample Due In 2018 Scheduled In 2018
			SOC 548	07/21/15		
			SOC 547	07/21/15		
			SOC 531	07/21/15		
			SOC 525	07/21/15		
			SOC 515	07/21/15		
			SOC 504	07/21/15		
VOC 524	11/03/15					
2179	Pine Cone Estates	01 Treat Site - New Well	SOC 549	02/22/16	Triennial Monitoring - 100% Complete Triennial Monitoring.	A Sample Due In 2019 A Sample Due In 2019 Scheduled In 2019
			SOC 548	02/22/16		
			SOC 547	02/22/16		
			SOC 531	02/22/16		
			SOC 525	02/22/16		
			SOC 515	02/22/16		
			SOC 504	02/22/16		
VOC 524	02/22/16					
0948	Pine Grove	01 Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete Triennial Monitoring.	A Sample Due In 2019 A Sample Due In 2019 Scheduled In 2016
			SOC 548	04/18/16		
			SOC 547	04/18/16		
			SOC 531	04/18/16		
			SOC 525	04/18/16		
			SOC 515	04/18/16		
			SOC 504	04/18/16		
VOC 524	01/20/13					
0624	Pine Lake Hills	04 Treatment Plant	SOC 549	07/13/15	Triennial Monitoring - 100% Complete Triennial Monitoring - 100% Complete Triennial Monitoring - 100% Complete Triennial Monitoring - 100% Complete	A Sample Due In 2015 A Sample Due In 2015 A Sample Due In 2018 A Sample Due In 2018
			SOC 548	07/13/15		
			SOC 547	07/13/15		
			SOC 531	07/13/15		

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2015
			VOC 524	11/03/15	Triennial Monitoring.	Scheduled In 2018
2153	Pineview Water Association	01 Treat Site - Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
0259	Plainsview Mobile Manor	02 Treat Site - East	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
2086	Pleasant Valley Colony	10 Entry Point Well #4/#5	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	12/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	12/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	12/10/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	01/29/14	Triennial Monitoring.	Scheduled In 2016
2172	Pleasant Valley Homeowners Association	01 Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
0260	Ponderosa Mobile Home Ranch	01 Well #1	SOC 549	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	04/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	04/28/15	Triennial Monitoring.	Scheduled In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0405	Ponderosa Park	01 Well #1	SOC 549	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/06/15	Triennial Monitoring.	Scheduled In 2018
0863	Ponderosa Ridge	01 Well #1 East	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	04/13/16	Triennial Monitoring.	Scheduled In 2019
2134	Ponderosa Water Company	01 Treat Site - Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
0014	Prairie Acres LLC	01 Treat Site - Well #1	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	08/18/14	Triennial Monitoring.	Scheduled In 2017
0884	Prairie Acres North	01 Treat Site - Well #1	SOC 549	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	11/11/13	Triennial Monitoring.	Scheduled In 2016
0428	Prairie Acres South	01 Treat Site - Well #1	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/08/15	Triennial Monitoring.	Scheduled In 2018
0396	Provo Area Water System	02 Treat Site - Well #2	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/18/15	Triennial Monitoring.	Scheduled In 2018
2127	Quaal Water Association	01 Treat Site - Well #1	SOC 549	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	01/03/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	05/05/16	Triennial Monitoring.	Scheduled In 2019
2216	Rainbow Water Company	02 Treat Site - Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
0252	Ramona	01 Entry Point - Well #1&kingbrook II	SOC 549	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	12/08/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	12/08/15	Detections	Detection Samples Due In 2016
			VOC 524	12/08/15	Triennial Monitoring.	Scheduled In 2018
0433	Randall Community Water District	12 Pickstown Wtp	SOC 549	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	05/20/15	Triennial Monitoring.	Scheduled In 2018
0433	Randall Community Water	22 Platte Wtp	SOC 549	09/14/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018



EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/14/15	Triennial Monitoring.	Scheduled In 2018
0406	Rapid City	11 Treat Site - Well #10	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/15/15	Triennial Monitoring.	Scheduled In 2018
0406	Rapid City	12 Treat Site - Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/14/15	Triennial Monitoring.	Scheduled In 2018
0406	Rapid City	13 Treat Site - Well #11	SOC 549	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/15/15	Triennial Monitoring.	Scheduled In 2018
0406	Rapid City	42 Treat Site - Well #12	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/14/15	Triennial Monitoring.	Scheduled In 2018
0406	Rapid City	48 New Jackson Springs Wtp	SOC 549	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	02/23/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	04/04/16	Annual Monitoring.	Scheduled In 2019
0274	Rapid Valley Sanitary District	12 New Micro Filtration Plant	SOC 549	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	04/28/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	02/09/16	Quarterly Reduced To Annual.	Scheduled In 2019
2352	Red Willow Colony	01 Treat Site - #1	SOC 549	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 548	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 547	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 531	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 525	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 515	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			SOC 504	08/23/16	Quarterly Monitoring - 25% Complete	A Sample Due In The Fourth Quarter Of 2016
			VOC 524	No Samples	Quarterly Monitoring.	No Samples In Database
2210	Rendezvous Ranch	03 Treat Site - Well #1/#2	SOC 549	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/23/16	Triennial Monitoring.	Scheduled In 2019
0160	Reynolds Court	02 Treat Site - Well #2 West	SOC 549	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/20/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/20/14	Triennial Monitoring.	Scheduled In 2017
2231	Rimrock Highland Estates Comm Assoc	02 Treat Site Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
2084	Rimrock Ridge Water Association	01 Treat Site - Well #1	SOC 549	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/14/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	05/14/13	Triennial Monitoring.	Scheduled In 2016
2040	Riverside Colony	05 Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/06/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2249	Rolling Dice Subdivision	02 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring - 100% Complete	Scheduled In 2019
0282	Roscoe	06 WEB/WELL ENTRY POINT	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/11/15	Triennial Monitoring.	Scheduled In 2018
0283	Rosholt	08 Treat Plt - Well #4 & #5	SOC 549	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	03/21/16	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/05/15	Triennial Monitoring.	Scheduled In 2018
2212	Rushmore Ranch Estates	04 Treat Site Well #2	SOC 549	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	12/11/13	Triennial Monitoring.	Scheduled In 2016
0384	STAR Academy-Main Campus	05 Treatment Plant	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
0546	Sacora Mobile Home Park	01 Treat Site - Well #1	SOC 549	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/27/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/21/15	Triennial Monitoring.	Scheduled In 2018
0287	Saint Onge Sewer & Water Co	01 Treat Site - Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
0288	Salem	03 Treatment Plant	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/09/15	Triennial Monitoring.	Scheduled In 2018
2242	Sanborn Central School District	01 Well #1	SOC 549	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	06/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/26/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2267	Shamrock Colony	01 Treatment Plant	SOC 549	11/09/09	Waivers	Sampling Not Required
			SOC 548	11/09/09	Waivers	Sampling Not Required
			SOC 547	11/09/09	Waivers	Sampling Not Required
			SOC 531	11/09/09	Waivers	Sampling Not Required
			SOC 525	11/09/09	Waivers	Sampling Not Required
			SOC 515	11/09/09	Waivers	Sampling Not Required

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	11/09/09	Waivers	Sampling Not Required
			VOC 524	05/24/16	Triennial Monitoring.	Scheduled In 2019
2285	Sheridan Lake Highlands	04 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/01/16	Triennial Monitoring.	Scheduled In 2019
2232	Shirt Tail Gulch Development	05 Treat Site - Well #2	SOC 549	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 548	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 547	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 531	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 525	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 515	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 504	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			VOC 524	No Samples	Quarterly Monitoring.	No Samples In Database
0294	Sioux Falls	43 Treatment Plant	SOC 549	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	08/10/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	04/20/15	Triennial Monitoring.	Scheduled In 2018
0866	Sioux Rural Water System	05 Castlewood Tr Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	11/06/13	Triennial Monitoring.	Scheduled In 2016
0866	Sioux Rural Water System	20 Sioux Tr. Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	11/06/13	Triennial Monitoring.	Scheduled In 2016
0272	Siphon Hill Water Association	01 Treat Site - Well #1	SOC 549	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	09/13/15	Triennial Monitoring.	Scheduled In 2018
0310	Sisseton	04 Treatment Plant	SOC 549	05/12/03	Waivers	Sampling Not Required
			SOC 548	05/12/03	Waivers	Sampling Not Required
			SOC 547	05/12/03	Waivers	Sampling Not Required
			SOC 531	05/12/03	Waivers	Sampling Not Required
			SOC 525	05/12/03	Waivers	Sampling Not Required
			SOC 515	05/12/03	Waivers	Sampling Not Required
			SOC 504	05/12/03	Waivers	Sampling Not Required
			VOC 524	11/05/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018
0627	South Canyon Country Estates	08 Entry Point Well #1 #3	SOC 549	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/19/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	10/29/15	Triennial Monitoring.	Scheduled In 2018
0870	South Lincoln Rural Water System	05 Treatment Plant	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/23/16	Triennial Monitoring.	Scheduled In 2019
2068	South Shore	03 Treat Site - Well #3	SOC 549	11/03/10	Waivers	Sampling Not Required
			SOC 548	11/03/10	Waivers	Sampling Not Required
			SOC 547	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	11/03/10	Waivers	Sampling Not Required
			SOC 525	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	11/03/10	Waivers	Sampling Not Required
			VOC 524	08/03/16	Triennial Monitoring.	Scheduled In 2019
2068	South Shore	04 Treat Site - Well #2	SOC 549	11/03/10	Waivers	Sampling Not Required
			SOC 548	11/03/10	Waivers	Sampling Not Required
			SOC 547	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	11/03/10	Waivers	Sampling Not Required
			SOC 525	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	06/08/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	11/03/10	Waivers	Sampling Not Required
			VOC 524	08/03/16	Triennial Monitoring.	Scheduled In 2019
0072	Southbrook Estates	01 Treat Site - Well #2	SOC 549	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	12/14/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/30/15	Detection - Return To Quarterly Monitoring.	Scheduled In 2018
2309	Southern Black Hills Water	02 Treatment Plant	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
0311	Spearfish	03 Treat Site - Dickey	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
0311	Spearfish	04 Treat Site - Ellingson	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
0311	Spearfish	06 Treat Site - Vigna	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
0311	Spearfish	08 Treat Site - Kyte	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Annual Monitoring.	Scheduled In 2018
0311	Spearfish	10 Treat Site - Nevin	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
0311	Spearfish	23 Treat Site - Young	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	07/20/15	Triennial Monitoring.	Scheduled In 2018
2313	Spearfish Forest Products	04 Entry Point Well #1/#3	SOC 549	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	03/05/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	12/15/15	Annual Monitoring.	Scheduled In 2018
0875	Spearfish Meadows	08 Treat Site - Cl Point	SOC 549	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	05/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
0625	Spearfish Valley Mobile Estates	02 Well #2	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	10/26/15	Triennial Monitoring.	Scheduled In 2018
2059	Spink Colony	06 Treatment Bldg	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	08/13/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
0015	Spring Canyon Water Company	04 Treat Site - Well #3	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	08/18/14	Triennial Monitoring.	Scheduled In 2017
2252	Spring Creek Acres	02 Treat Site - Well #1	SOC 549	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/19/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/19/16	Triennial Monitoring.	Scheduled In 2019
2076	Spring Lake Colony	04 Entry Pt - East	SOC 549	11/10/04	Waivers	Sampling Not Required
			SOC 548	11/10/04	Waivers	Sampling Not Required
			SOC 547	11/10/04	Waivers	Sampling Not Required
			SOC 531	11/10/04	Waivers	Sampling Not Required
			SOC 525	11/10/04	Waivers	Sampling Not Required
			SOC 515	11/10/04	Waivers	Sampling Not Required
			SOC 504	11/10/04	Waivers	Sampling Not Required
			VOC 524	11/12/13	Triennial Monitoring.	Scheduled In 2016
0317	Springfield	05 Treatment Plant	SOC 549	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	05/11/15	Triennial Monitoring.	Scheduled In 2018
0055	State Veterans Home	01 Treat Site - #2#3	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017
2191	Strat-O-Rim Estates Water Company	01 Treat Site - Well #1	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	05/21/13	Triennial Monitoring.	Scheduled In 2016
0321	Sturgis	23 Treat Site - Well #7	SOC 549	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	07/21/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	04/27/15	Triennial Monitoring.	Scheduled In 2018
0326	Summit	05 New Treatment Plant	SOC 549	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/11/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/05/16	Annual Reduced To Triennial.	Scheduled In 2015
2270	Sun Valley Development	02 Treat Site - Well #1	SOC 549	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/23/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	09/23/13	Triennial Monitoring.	Scheduled In 2016
2001	Sunnyside Mobile Home Park II	01 Treat Site - Well #1	SOC 549	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	11/11/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	11/11/13	Triennial Monitoring.	Scheduled In 2016
0512	Sunrise Homeowners Association	01 Treat Site - Well #1	SOC 549	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/05/12	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/20/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/15/15	Triennial Monitoring.	Scheduled In 2018
2025	Sunset Colony	07 Treat Site - Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	08/05/13	Triennial Monitoring.	Scheduled In 2016
2263	Sunset Ranch	02 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
0143	T C & G Rural Water System	04 Treat Site - Well #1/#2	SOC 549	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
0143	T C & G Rural Water System	09 Treat Site - Well #4	SOC 549	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
0143	T C & G Rural Water System	11 Treat Site - Well #5/#6	SOC 549	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	10/07/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	11/18/14	Triennial Monitoring.	Scheduled In 2017
0999	TM Rural Water District	15 New Water Treatment Plant	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	11/06/13	Triennial Monitoring.	Scheduled In 2016
2306	Terra Cotta Estates	02 Treat Site - Well #1	SOC 549	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/24/14	Detections	Detection Samples Due In 2016
			SOC 515	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	03/12/13	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/09/16	Triennial Monitoring.	Scheduled In 2019
0053	Terry Trojan Water District	07 Treat Site - II Johns	SOC 549	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	02/26/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	01/13/14	Triennial Monitoring.	Scheduled In 2017
2203	The Ranch at Black Gap	01 Treat Site - Well #2	SOC 549	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	03/04/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	06/23/16	Triennial Monitoring.	Scheduled In 2019
0513	Thrall Mtn. Property Owners Association, Inc.	05 Treat Bldg For Well #1	SOC 549	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/21/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	11/03/15	Triennial Monitoring.	Scheduled In 2018
0411	Timber Lake	02 Treat Site - Well #2	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/19/15	Triennial Monitoring.	Scheduled In 2018
0411	Timber Lake	03 Treat Site - Well #3	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/19/15	Triennial Monitoring.	Scheduled In 2018
0411	Timber Lake	05 Treat Site - Well #5	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/19/15	Triennial Monitoring.	Scheduled In 2018
0411	Timber Lake	13 Treat Site - Well #1a	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/19/15	Annual Reduced To Triennial.	Scheduled In 2018
2272	Timberwood Park Estates	01 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	02/22/16	Triennial Monitoring.	Scheduled In 2019
0112	Tri-County Rural Water System	17 Treatment Plant	SOC 549	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 548	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 547	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 525	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 515	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			SOC 504	09/24/14	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2017
			VOC 524	11/10/14	Triennial Monitoring.	Scheduled In 2017
2209	Triple T Mobile Home Park	01 Treat Site - Well #1	SOC 549	12/14/05	Waivers	Sampling Not Required
			SOC 548	12/14/05	Waivers	Sampling Not Required
			SOC 547	12/09/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	12/14/05	Waivers	Sampling Not Required
			SOC 525	12/09/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	12/09/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	12/14/05	Waivers	Sampling Not Required
			VOC 524	12/05/13	Triennial Monitoring.	Scheduled In 2016
0334	Tripp	03 Treat Site - Well #3	SOC 549	02/22/00	Waivers	Sampling Not Required
			SOC 548	02/22/00	Waivers	Sampling Not Required
			SOC 547	02/22/00	Waivers	Sampling Not Required
			SOC 531	02/22/00	Waivers	Sampling Not Required
			SOC 525	02/22/00	Waivers	Sampling Not Required
			SOC 515	02/22/00	Waivers	Sampling Not Required
			SOC 504	02/22/00	Waivers	Sampling Not Required
			VOC 524	11/13/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018
0334	Tripp	04 Treat Site For Well #1/#2	SOC 549	02/22/00	Waivers	Sampling Not Required
			SOC 548	02/22/00	Waivers	Sampling Not Required
			SOC 547	02/22/00	Waivers	Sampling Not Required
			SOC 531	02/22/00	Waivers	Sampling Not Required
			SOC 525	02/22/00	Waivers	Sampling Not Required
			SOC 515	02/22/00	Waivers	Sampling Not Required
			SOC 504	02/22/00	Waivers	Sampling Not Required
			VOC 524	11/13/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018
0520	Tripp County Water User District	06 Treat Site 4 - 7	SOC 549	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	02/08/16	Triennial Monitoring.	Scheduled In 2015
0520	Tripp County Water User District	28 Treat Site 1 - 3	SOC 549	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	09/15/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	02/08/16	Triennial Monitoring.	Scheduled In 2015
8083	USFS - Nemo Water System	03 Treat Site New Wells	SOC 549	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	11/13/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			VOC 524	11/13/13	Triennial Monitoring.	Scheduled In 2016
2286	United Order of South Dakota	01 Entry Point Well #1&#2	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	09/30/13	Triennial Monitoring.	Scheduled In 2016
2077	Upland Colony	01 Treat Site - Well #1	SOC 549	12/14/98	Waivers	Sampling Not Required
			SOC 548	12/14/98	Waivers	Sampling Not Required
			SOC 547	12/14/98	Waivers	Sampling Not Required
			SOC 531	12/14/98	Waivers	Sampling Not Required
			SOC 525	12/14/98	Waivers	Sampling Not Required
			SOC 515	12/14/98	Waivers	Sampling Not Required
			SOC 504	12/14/98	Waivers	Sampling Not Required
			VOC 524	08/05/13	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2019
2211	Valhalla Addition	05 Treat Site - Well #2	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
0340	Valley Springs	04 Treat Site - West	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	06/27/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0300	Valley View Estates	02 Treat Site Well #1	SOC 549	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	11/16/15	Triennial Monitoring.	Scheduled In 2018			
0040	Valley View Water Company	01 Treat Site - Well #1	SOC 549	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	07/21/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
VOC 524	07/21/14	Triennial Monitoring.	Scheduled In 2017			
0342	Vermillion	06 Treatment Plant	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
VOC 524	09/15/15	Triennial Monitoring.	Scheduled In 2018			
2287	Viewfield Rural Water System	01 Treat Site - West Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	06/06/13	Annual Reduced To Triennial.	Scheduled In 2016			
2287	Viewfield Rural Water System	02 Treat Site - South Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	05/16/13	Annual Reduced To Triennial.	Scheduled In 2016			
0346	Volga	09 Treat Site - Wells 6/7/8/9	SOC 549	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 515	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/16/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	05/07/15	Triennial Monitoring.	Scheduled In 2018
1089	WEB Water Development Association	52 Treatment Plant	SOC 549	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 548	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 547	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 531	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 525	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 515	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			SOC 504	08/02/16	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2016
			VOC 524	08/05/13	Triennial Monitoring.	Scheduled In 2016
2156	WR/LJ - Creighton Project	01 Treat - Creigh Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	06/02/16	Triennial Monitoring.	Scheduled In 2019
2156	WR/LJ - Creighton Project	08 Treat - Creigh Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	06/02/16	Triennial Monitoring.	Scheduled In 2019
2156	WR/LJ - Creighton Project	14 Blend Of 09 11 12	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	06/02/16	Triennial Monitoring.	Scheduled In 2019
0417	Wall	02 Treat Site For Well #2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	05/15/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
0417	Wall	01 Treat Site For Well #1	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	02/02/94	Waivers	Sampling Not Required
			SOC 531	02/02/94	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	02/02/94	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	05/15/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018			
0417	Wall	04 Treat Site For Well #4	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	05/15/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018			
0417	Wall	06 Treat Site For Well #6	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	07/10/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018			
0417	Wall	17 Treat Site For Well #7	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	No Samples	Waivers	Sampling Not Required
			SOC 504	No Samples	Waivers	Sampling Not Required
VOC 524	05/15/12	Groundwater Waiver - Sample Every Six Years.	Scheduled In 2018			
0316	Walnut Park	02 Treat Site - Well #2	SOC 549	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/26/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
VOC 524	12/08/15	Triennial Monitoring.	Scheduled In 2018			
0352	Wasta	02 Treat Site - Springs	SOC 549	08/19/03	Waivers	Sampling Not Required

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 548	08/19/03	Waivers	Sampling Not Required
			SOC 547	10/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	08/19/03	Waivers	Sampling Not Required
			SOC 525	08/19/03	Waivers	Sampling Not Required
			SOC 515	10/28/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	08/19/03	Waivers	Sampling Not Required
			VOC 524	10/28/15	Triennial Monitoring.	Scheduled In 2018
0356	Watertown Municipal Utilities	13 Sixth Avenue/new Plant	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	05/11/15	Triennial Monitoring.	Scheduled In 2018
0357	Waubay	04 Treat Site For Well #1/#2	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/04/15	Triennial Monitoring.	Scheduled In 2018
0362	Wessington Springs	05 Treatment Plant	SOC 549	09/13/94	Waivers	Sampling Not Required
			SOC 548	03/31/97	Waivers	Sampling Not Required
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/12/03	Waivers	Sampling Not Required
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	08/04/93	Waivers	Sampling Not Required
			VOC 524	11/09/15	Triennial Monitoring.	Scheduled In 2018
0253	Westberry Trails Water Users Assoc	01 Well #1	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	04/28/15	Triennial Monitoring.	Scheduled In 2018
0253	Westberry Trails Water Users Assoc	02 Well #2	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	02/23/15	Triennial Monitoring.	Scheduled In 2018
0521	Westfield Addition	01 Well #1	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	05/12/15	Triennial Monitoring.	Scheduled In 2018
0862	Weston Heights Homeowners Association	02 Treat Site - Well #2	SOC 549	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	04/18/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	04/18/16	Triennial Monitoring.	Scheduled In 2019
0876	Westview Homeowners Association	01 Treat Site - Well #1	SOC 549	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	02/22/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	01/04/16	Triennial Monitoring.	Scheduled In 2019
2353	Westwood Colony	01 Well	SOC 549	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 548	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 547	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 531	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 525	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 515	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			SOC 504	No Samples	Quarterly Monitoring - 0% Complete	Sample This Quarter
			VOC 524	No Samples	Quarterly Monitoring.	No Samples In Database
0933	Wharf Resources Water System	08 Treat Site - Pw2	SOC 549	No Samples	Waivers	Sampling Not Required
			SOC 548	No Samples	Waivers	Sampling Not Required
			SOC 547	No Samples	Waivers	Sampling Not Required
			SOC 531	No Samples	Waivers	Sampling Not Required
			SOC 525	No Samples	Waivers	Sampling Not Required
			SOC 515	02/23/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	No Samples	Waivers	Sampling Not Required
			VOC 524	02/23/16	Triennial Monitoring.	Scheduled In 2019
0268	Whispering Pines Water Association	01 Well #1	SOC 549	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 547	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/25/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	11/08/15	Triennial Monitoring.	Scheduled In 2018
2027	White Rock Colony	04 Treat Site Well #1 - #4	SOC 549	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 548	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 547	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 531	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 525	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 515	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			SOC 504	05/31/16	Triennial Monitoring - 100% Complete	A Sample Due In 2019
			VOC 524	03/14/16	Triennial Monitoring.	Scheduled In 2019
0368	Whitewood	12 Treat Site - Well #4	SOC 549	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	10/29/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	10/29/15	Triennial Monitoring.	Scheduled In 2018
2281	Wild Turkey Estates I	02 Treat Site - Well #1	SOC 549	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 548	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 547	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 531	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 525	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 515	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 504	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			VOC 524	04/17/16	Initial Monitoring.	Scheduled In 2019
2282	Wild Turkey Estates II	02 Treat Site - Well #2	SOC 549	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 548	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 547	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 531	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 525	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 515	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			SOC 504	04/17/16	Quarterly Monitoring - 50% Complete	Sample This Quarter
			VOC 524	04/17/16	Initial Monitoring.	Scheduled In 2019
2257	Wilco Enterprises Water	02 Treat Site - Well #1	SOC 549	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 548	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 547	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 531	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 525	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 515	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016
			SOC 504	09/24/13	Triennial Monitoring - 100% Complete	A Sample Due In 2016

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			VOC 524	09/24/13	Triennial Monitoring.	Scheduled In 2016
0370	Willow Lake	03 Treat Site - Well #2	SOC 549	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	12/21/15	Triennial Monitoring.	Scheduled In 2018
0373	Winner	11 Entry Pt For Wells	SOC 549	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	07/13/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	07/06/15	Triennial Monitoring.	Scheduled In 2018
0421	Wonderland Homes	01 Treat Site - Well #1	SOC 549	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	02/23/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/11/15	Triennial Monitoring.	Scheduled In 2018
0042	Woodland Hills	02 Treat Site - Well #2	SOC 549	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 548	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 547	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 531	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 525	04/27/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 515	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			SOC 504	02/25/14	Triennial Monitoring - 100% Complete	A Sample Due In 2017
			VOC 524	01/14/14	Triennial Monitoring.	Scheduled In 2017
0376	Woonsocket	01 Treat Site - Well #1 New	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/25/15	Triennial Monitoring.	Scheduled In 2018
0376	Woonsocket	02 Treat Site - Well #2 Old	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018

EPA ID	System	Entry Point	Chemical Group	Sampled Last	Current Status	Sampling Requirements
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	A Sample Due In 2018
			VOC 524	08/25/15	Triennial Monitoring.	Scheduled In 2018
0423	Yankton	04 New Treatment Plant	SOC 549	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 548	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 547	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 531	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 525	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 515	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			SOC 504	11/09/15	Triennial Monitoring - 100% Complete	Two Consecutive Quarterly Samples Due In 2018
			VOC 524	11/03/15	Triennial Monitoring.	Scheduled In 2018