



DEPARTMENT of ENVIRONMENT  
and NATURAL RESOURCES

PMB 2020  
JOE FOSS BUILDING  
523 EAST CAPITOL  
PIERRE, SOUTH DAKOTA 57501-3182  
denr.sd.gov

June 1, 2012

Peter McIntyre  
Continental Resources, Inc.  
PO Box 1032  
Enid, OK 73703

Dear Mr. McIntyre:

Re: Case No. 6-2012 – approval of permit to inject

Thank you for your application filed April 12, 2012, requesting a permit to inject air into the existing SBRRU 21-13H well, located in the NE ¼ NW ¼ Section 13, Township 20 North, Range 4 East, Harding County, South Dakota, for the purpose of continuing long-term enhanced recovery of oil from the Red River "B" zone reservoir at a depth of approximately 8,700 feet below land surface.

The department published a Notice of Recommendation for Case No. 6-2012, recommending approval of the application. The date for intervention was May 30, 2012, and no parties petitioned the Board of Minerals and Environment for a hearing on the application by the deadline.

Therefore, in accordance with the Administrative Rules of South Dakota (ARSD) 74:12:07 and 74:12:09, approval of the application is hereby granted. The permit is conditioned on compliance with all applicable requirements of South Dakota Codified Laws 45-9 and ARSD 74:12. Please refer to the enclosed Notice of Recommendation for specific terms and conditions.

Thank you for your interest in protecting the water resources of the state.

Sincerely,

Steven M. Pirner  
Secretary

Enclosure

c: Lawrence Bender, Fredrikson & Byron, P.A., Bismarck ND  
Bob Townsend, Minerals and Mining, SD DENR, Pierre SD

STATE OF SOUTH DAKOTA  
SECRETARY OF THE  
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES

IN THE MATTER OF THE APPLICATION OF CONTINENTAL RESOURCES, INC., ENID, OKLAHOMA, FOR APPROVAL OF A PERMIT TO INJECT INTO THE EXISTING SBRRU 21-13H WELL LOCATED IN THE NE ¼ NW ¼ SECTION 13, TOWNSHIP 20 NORTH, RANGE 4 EAST, IN THE SOUTH BUFFALO RED RIVER UNIT OF THE BUFFALO FIELD, HARDING COUNTY, ABOUT NINE MILES NORTHWEST OF BUFFALO, SOUTH DAKOTA, TO ALLOW USE OF THE WELL AS AN AIR INJECTION WELL IN THE "B" ZONE OF THE RED RIVER FORMATION IN THE SOUTH BUFFALO RED RIVER UNIT FOR ENHANCED RECOVERY OF OIL AND GAS.

NOTICE  
OF  
RECOMMENDATION  
FOR A PERMIT TO INJECT

CASE NO. 6-2012

Notice is hereby given to the public and to all interested persons that pursuant to South Dakota Codified Laws (SDCL) Chapters 1-26 and 45-9, and further pursuant to the Administrative Rules of South Dakota (ARSD) 74:12:07 and 74:12:09, the following matter has come to the attention of the Secretary of the Department of Environment and Natural Resources, hereinafter "Secretary."

The SBRRU 21-13H well was completed with 1,515 feet of 9 5/8-inch steel surface casing, cemented to protect underground sources of drinking water, and 8,660 feet of 7-inch steel production casing, cemented to protect underground sources of drinking water. The injection zone will be in the "B" zone of the Red River Formation. All wells within the one-half mile area of review are constructed such that the injection into this well will not affect any underground sources of drinking water.

The requested maximum injection pressure is 4,600 pounds per square inch and the requested duration of this permit is 25 years.

The Secretary recommends approval of the application with the following conditions:

1. Injection operations authorized under the permit to inject must be conducted in accordance with SDCL Chapter 45-9, ARSD 74:12 and any applicable orders or rules promulgated by the board;
2. The life of the permit may not exceed 25 years;
3. The maximum injection rate may not exceed 3,000 thousand cubic feet per day;
4. The maximum pressure may not exceed 4,600 pounds per square inch during injection operations;
5. A mechanical integrity test must be successfully conducted prior to the commencement of injection activity. The well must pass the mechanical integrity test at 1,000 pounds per square inch surface pressure. The operator is required to notify the Secretary a minimum of 72 hours prior to running a mechanical integrity test;
6. Once mechanical integrity is established, unless the department indicates differently, the well must be retested at least once every five years to ensure that mechanical integrity is maintained;

7. If an unsuccessful pressure test occurs, the operator must cease operations immediately if it is determined the injection will threaten any underground source of drinking water. If the failure is not threatening ground water, the operator must cease operations within 48 hours after receipt of the department secretary's notice, and take corrective action on the well as soon as feasible. Corrective action options include repairing the well so that a successful test result can be obtained, plugging and abandoning the well, or any other action approved by the department.

Authority for the Secretary to approve this application is contained in ARSD 74:12:07 and 74:12:09. Unless a person files a petition requesting a hearing on the above application pursuant to the provisions of ARSD 74:09:01 on or before May 30, 2012, the Secretary's recommendation will be considered final and the Secretary will approve the application in accordance with that recommendation. For additional information about the application, please contact Brian J. Walsh, Environmental Scientist III, Ground Water Quality Program, Department of Environment and Natural Resources, 523 East Capitol Avenue, Pierre, SD, 57501; 605.773.3296 or email at [brian.walsh@state.sd.us](mailto:brian.walsh@state.sd.us).

April 30, 2012



Steven M. Pirner  
Secretary

Published twice at the total approximate cost of \_\_\_\_\_.