



DEPARTMENT of ENVIRONMENT and NATURAL RESOURCES  
 Minerals & Mining Program - Oil & Gas Section  
 2050 West Main, Suite #1, Rapid City, SD 57702-2493  
 Telephone: 605-394-2229, FAX: 605-394-5317

FORM 2

RECEIVED

MAR 17 2005

APPLICATION FOR PERMIT TO DRILL

DEPT OF ENVIRONMENT & NATURAL RESOURCES - RCRO

Type of work:  Drill New Well  Reenter Well  Drill Directional Well  Other \_\_\_\_\_

Type of well:  Oil Well  Gas Well  Injection  Other \_\_\_\_\_

Name and Address of Operator: Fidelity Exploration & Production Company PO Box 1010 Glendive MT 59330 Telephone 406-359-7360

Name and Address of Surface Owner: Gilbert Angus Ranch PO Box 166 Buffalo SD 57720

Name and Address of Drilling Contractor and Rig Number: Unknown at this time


Surface Location of well: Qtr-Qtr, Sec, Twp, Rge, County, feet from nearest lines of section, and latitude and longitude (if available):  
 SW SW, SEC 20, T18N, R5E, Harding Co, 660' FSL, 780' FWL,  
 LAT N 45 30' 13.60" LONG. W 103 32' 33.56"  
 If Directional, top of pay and bottom hole location from nearest lines of section:  
 N/A  
 Acres in Spacing (Drilling) Unit: 640 Description of Spacing Unit: 640

Well Name and Number Gilbert 14-20 - Fee		Elevation 2957.8	Field and Pool, or Wildcat Wildcat	Proposed Depth and Formation 8000' Red River C	
Size of Hole	Size of Casing	Weight per Foot	Depth	Cementing Program (amount, type, additives)	Depth
1) 12.250"	8.625"	24#	800'	300 sks Premium 3% CaCl, 1/4pps flake	Surface
2) 7.875"	5.500"	17,20,15.50#	0-8000'	800 sks Premium & Lite, two stage	2665'
3)					
4)					

Describe Proposed Operations (Clearly State all Pertinent Details, and Give Pertinent Dates, Including Estimated Date of Starting any Proposed Work). Use additional page(s) if appropriate.  
 April - start dirt work, build locations and roads  
 May-June - plan to spud well; drill a vertical test to Red River C. Surface hole will be drilled with fresh water to 800'. Setting 7" casing and cementing back to surface. Plan to drill out with an oil base mud and drill to TD with this mud program. A DST will be conducted in the Red River C. Open hole logs will be run from TD to surface casing shoe. Run 5.50" casing to within 50' of TD of 8000'. All drilling fluids and cuttings will be contained in a 12 mil lined pit. All liquids will be disposed of in an approved site, the cuttings and liner will be buried in place

I hereby certify that the foregoing as to any work or operation performed is a true and correct statement of the work or operation.

Signature: Tim Ree Name (Print): Tim Ree Title: WESTERN FIELD OFFICE Date: 3/15/05



FOR OFFICE USE ONLY

Approved By: [Signature] Title: Oil & Gas Supervisor

Permit No. 1729 API No. 40 063 20587 Date Issued: 04/14/05

Conditions, if any, on attached page.