



RECEIVED

JUL 31 2006

DEPT OF ENVIRONMENT & NATURAL RESOURCES - RCRO

APPLICATION FOR PERMIT TO DRILL

STATE GEOLOGICAL SURVEY
 WESTERN FIELD OFFICE

Type of Work: Drill New Well Re-enter Well Drill Directional Well Other

Type of Well: Oil Well Gas Well Injection Other

Name and Address of Operator: **LUFF EXPLORATION COMPANY, 1580 LINCOLN STREET, SUITE 850, DENVER, CO 80203** Telephone: **(303) 861-2468**

Name and Address of Surface Owner: **Merle R. & Bettyna Johnson, Box 25, Scranton, North Dakota 58651**

Name and Address of Drilling Contractor and Rig Number:
 Patterson Drilling Company, 1512 Larimer Street, Suite 730, Denver, CO 80202, Rig #463. (Vertical section)
 C&H Well Service, Inc., PO Box 2556, Gillette, Wyoming 82717-2556, Rig #104 (Horizontal laterals)

Surface Location of Well: Qtr-Qtr, Sec, Twp, Rge, County, Feet from Nearest Lines of section, and latitude and longitude (if available):
NESW Sec. 9-T22N-R6E, Harding County; 2615' FWL x 1365' FSL; Lat = 45 52' 53.59", Long = 103 23' 14.19"

If Directional, top of pay and bottom hole location from nearest lines of section:
 West Lateral: Top est @ 8896' MD = 8847' TVD; BHL 885' FEL x 1365' FSL, Sec. 8-T22N-R6E
 East Lateral: Top est @ 8904' MD = 8847' TVD; BHL 845' FWL x 1365' FSL, Sec. 10-T22N-R6E

Acres in Spacing (Drilling) Unit: **640 acres** Description of Spacing Unit: **SE/4 Sec. 8, S/2 Sec. 9 & SW/4 Sec. 10-T22N-R6E**

Well Name and Number		Elevation	Field and Pool, or Wildcat		Proposed Depth and Formation
Johnson K-9H		2929.2 GL	Pete's Creek Red River B		9025 TVD; 12,309 MD; RR
Size of Hole	Size of Casing	Weight per Foot	Depth	Cementing Program (amount, type, additives)	Depth
1) 12-1/4"	8-5/8"	24#	2000'	635 sx Premium Lite & Class G, 3% salt + misc	surf
2) 7-7/8"	5-1/2"	15.5# & 17#	9025	750 sx Premium Lite & Glass G+ various additives	3500'
3)					
4)					

Describe Proposed Operations (Clearly State all Pertinent Details, and Give Pertinent Dates, Including Estimated Date of Starting any Proposed Work). Use Additional Page(s) if appropriate.

Drill vertical portion of well to 9025'. Drill 7-7/8" hole, run 5-1/2" casing. A directional survey will be run @ 100' intervals to determine the BHL of the vertical well. Move out rotary tools and move in smaller rig, mill casing windows and drill dual horizontal laterals in the Red River "B". East lateral KOP approx 8735' TVD, west lateral KOP approx 8750' TVD. Drill 4-1/2" horizontal laterals in the "B" zone. West lateral to approx 12,309' MD = 8847' TVD and the east lateral to approx 12,311' MD = 8847' TVD. An oil base mud will be used in the vertical portion of the well and a fresh water/polymer in the horizontal sections. All drilling fluids and cuttings will be contained in a pit lined with 12 mil plastic. All liquids will be disposed of in an approved site, the liner and the cuttings will be buried in place. See attached Preliminary Drilling Prognosis for additional details. Completion will be open hole in the horizontal sections. The estimated start date is August 25, 2006.
 Blanket South Dakota bond #4127010.

I hereby certify that the foregoing as to any work or operation performed is a true and correct report of such work or operation.

Signature: [Signature] Name (Print): David A. Norby Title: Operations Manger Date: July 28, 2006

FOR OFFICE USE ONLY

Approved by: [Signature] Title: Oil and Gas Supervisor
 Permit No. 1792 API No. 40 063 20610 Date Issued: August 21, 2006

Conditions, if any, on attached page.