



RECEIVED
 APR 30 2007

DEPT OF ENVIRONMENT & NATURAL
 RESOURCES - RCRO

APPLICATION FOR PERMIT TO DRILL

SOUTH DAKOTA
 STATE GEOLOGICAL SURVEY
 WESTERN FIELD OFFICE

Type of Work: Drill New Well Reenter Well Drill Directional Well Other
 Type of Well: Oil Well Gas Well Injection Other

Name and Address of Operator: LUFK EXPLORATION COMPANY, 1580 LINCOLN STREET, SUITE 850, DENVER, CO 80203 Telephone: (303) 861-2468

Name and Address of Surface Owner: Milo & Barbara Downing, HC 63, Box 21, Ludlow, SD 57755

Name and Address of Drilling Contractor and Rig Number:
 Patterson Drilling Company, 1512 Larimer Street, Suite 730, Denver, CO 80202, Rig #463 (Vertical Section)
 C&H Well Service, Inc., PO Box 2556, Gillette, Wyoming 82717-2556, Rig #104 (Horizontal Laterals)

Surface Location of Well: Qtr-Qtr, Sec, Twp, Rge, County, Feet from Nearest Lines of section, and latitude and longitude (if available):
 SENW Sec. 29-T23N-R6E, Harding County, 1750' FNL x 1750' FWL; Lat = 45° 55' 51.27", Long = 103° 24' 39.66"

If Directional, top of pay and bottom hole location from nearest lines of section:
 West Lateral: Top est @ 9002' MD = 8950' TVD; BHL 1750' FNL x 1250' FEL, Sec. 30-T23N-R6E
 East Lateral: Top est @ 9012' MD = 8950' TVD; BHL 1750' FNL x 550' FEL, Sec. 29-T23N-R6E

Acres in Spacing (Drilling) Unit: 480 Description of Spacing Unit: NE/4 Sec 30 & N/2 Sec 29-T23N-6E 8-2007

Well Name and Number		Elevation	Field and Pool, or Wildcat		Proposed Depth and Formation
State F-29H		2924 GL	East Harding Springs, Red River B		8950' TVD; 11900' MD; RR
Size of Hole	Size of Casing	Weight per Foot	Depth	Cementing Program (amount, type, additives)	Depth
1) 12-1/4"	8-5/8"	24#	2000'	635 sx Premium Lite & Class G, 3% salt + misc.	surf
2) 7-7/8"	5-1/2"	15.5# & 17#	9225'	750 sx Premium Lite & Class G + various additives	3500'
3)					
4)					

Describe Proposed Operations (Clearly State all Pertinent Details, and Give Pertinent Dates, Including Estimated Date of Starting any Proposed Work). Use Additional Page(s) if appropriate.

Drill vertical portion of well to 9225'. Drill 7-7/8" hole, run 5-1/2" casing. A directional survey will be run @ 100' intervals to determine the BHL of the vertical well. Move out rotary tools and move in smaller rig, mill casing windows and drill dual horizontal laterals in the Red River "B". East lateral KOP approx. 8890' TVD, west lateral KOP approx. 8855' TVD. Drill 4-1/2" horizontal laterals in the "B" zone. West lateral to approx. 11,910' MD = 8950' TVD and the east lateral to approx. 11,886' MD = 8950' TVD. An oil base mud will be used in the vertical portion of the well and a fresh water/polymer in the horizontal sections. All drilling fluids and cuttings will be contained in a pit lined with 12 mill plastic. All liquids will be disposed of in an approved site, the liner and the cuttings will be buried in place. See attached Preliminary Drilling Prognosis for additional details. Completion will be open hole in the horizontal sections. Estimated start date for drilling is July 15, 2007.

Blanket South Dakota bond #4127010

I hereby certify that the foregoing as to any work or operation performed is a true and correct report of such work or operation.

Signature: [Signature] Name (Print): David A. Norby Operations Manager Title: Operations Manager Date: 4/27/07

FOR OFFICE USE ONLY

Approved by: [Signature] Title: Oil and Gas Supervisor
 Permit No. 1831 API No. 40 063 20626 Date Issued: May 18, 2007
 Conditions, if any, on attached page.