Former T&T Standard

MIP-01



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-02



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-03



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-04



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-05



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-06



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-07



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-08



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-09



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-10



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-11



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-12



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-13



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-14



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-15



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-16



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-17



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-18



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-19



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-20



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-21



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-22



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIP-23



Copyright © 2005, Columbia Technologies, LLC.
All Rights Reserved

COLUMBIA TECHNOLOGIES

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: MIP-04, water
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/11/04 at 04:35 PM by Mitch Kannenberg
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117501
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374
Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 0.500	µg/L	1	0.011	0.500	SW846 8260	RAM	11/18/04
Benzene	1.02	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
1,2-Dibromoethane	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Ethylbenzene	1.52	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
Methyl tertiary-Butyl Ether	9.23	µg/L	1	0.010	0.500	SW846 8260	RAM	11/18/04
Naphthalene	0.658	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Toluene	6.52	µg/L	1	0.020	0.500	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	6.78	µg/L	1	0.043	1.00	SW846 8260	RAM	11/18/04
Total Volatile Hydrocarbons								
TPH as Gasoline	< 100	µg/L	1	4.01	100	SW846 8015	MJM	11/20/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	96.3	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	106	%	1			SW846 8015 QC	MJM	11/20/04
4-Bromofluorobenzene	103	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	96.4	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	97.1	%	1			SW846 8260 QC	RAM	11/18/04

Approved By: _____

Approved On:11/29/2004 04:41 PM

MIDCONTINENT TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-1, water
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/12/04 at 12:30 PM by Mitch Kannenberg
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117502
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 250	µg/L	500	5.45	250	SW846 8260	RAM	11/18/04
Benzene	5740	µg/L	500	6.15	250	SW846 8260	RAM	11/18/04
1,2-Dibromoethane	< 250	µg/L	500	7.65	250	SW846 8260	RAM	11/18/04
Ethylbenzene	4370	µg/L	500	6.00	250	SW846 8260	RAM	11/18/04
Methyl tertiary-Butyl Ether	< 250	µg/L	500	5.00	250	SW846 8260	RAM	11/18/04
Naphthalene	1430	µg/L	1000	15.1	500	SW846 8260	RAM	11/18/04
Toluene	9910	µg/L	500	10.1	250	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	21100	µg/L	500	21.7	500	SW846 8260	RAM	11/18/04
Total Volatile Hydrocarbons								
TPH as Gasoline	239000	µg/L	500	2010	50000	SW846 8015	MJM	11/20/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	93.5	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	105	%	1			SW846 8015 QC	MJM	11/20/04
4-Bromofluorobenzene	101	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	92.3	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	103	%	1			SW846 8260 QC	RAM	11/18/04

Approved By: _____

Approved On:11/29/2004 04:41 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-2, water
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/16/04 at 11:45 AM by Mitch Kannenberg
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117503
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst	Date
Volatile								
1,2-Dichloroethane	< 0.500	µg/L	1	0.011	0.500	SW846 8260	RAM	11/18/04
Benzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
1,2-Dibromoethane	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Ethylbenzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
Methyl tertiary-Butyl Ether	< 0.500	µg/L	1	0.010	0.500	SW846 8260	RAM	11/18/04
Naphthalene	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Toluene	< 0.500	µg/L	1	0.020	0.500	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	< 1.00	µg/L	1	0.043	1.00	SW846 8260	RAM	11/18/04
Total Volatile Hydrocarbons								
TPH as Gasoline	* 138	µg/L	1	4.01	100	SW846 8015	RAM	11/18/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	98.3	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	107	%	1			SW846 8015 QC	RAM	11/18/04
4-Bromofluorobenzene	99.8	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	99.4	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	100	%	1			SW846 8260 QC	RAM	11/18/04

Notes:
*, TPH as Gasoline value is due to a single unidentified compound eluting in the gasoline range.

Approved By: [signature]

Approved On:11/29/2004 04:41 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-3, water
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/16/04 at 01:45 PM by Mitch Kannenberg
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117504
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 5.00	µg/L	10	0.109	5.00	SW846 8260	RAM	11/18/04
Benzene	502	µg/L	200	2.46	100	SW846 8260	RAM	11/19/04
1,2-Dibromoethane	< 5.00	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Ethylbenzene	1780	µg/L	200	2.40	100	SW846 8260	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 5.00	µg/L	10	0.100	5.00	SW846 8260	RAM	11/18/04
Naphthalene	661	µg/L	200	3.02	100	SW846 8260	RAM	11/19/04
Toluene	175	µg/L	10	0.201	5.00	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	7910	µg/L	200	8.68	200	SW846 8260	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	41600	µg/L	50	201	5000	SW846 8015	MJM	11/20/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	93.9	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	110	%	1			SW846 8015 QC	MJM	11/20/04
4-Bromofluorobenzene	100	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	92.9	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	100	%	1			SW846 8260 QC	RAM	11/18/04

Approved By: _____

Approved On: 11/29/2004 04:41 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: Trip Blank
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/11/04 at 08:00 AM by RAM
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117505
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst	Date
Volatile								
1,2-Dichloroethane	< 0.500	µg/L	1	0.011	0.500	SW846 8260	RAM	11/19/04
Benzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/19/04
1,2-Dibromoethane	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/19/04
Ethylbenzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 0.500	µg/L	1	0.010	0.500	SW846 8260	RAM	11/19/04
Naphthalene	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/19/04
Toluene	< 0.500	µg/L	1	0.020	0.500	SW846 8260	RAM	11/19/04
Xylenes(o,m,p)	< 1.00	µg/L	1	0.043	1.00	SW846 8260	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	< 100	µg/L	1	4.01	100	SW846 8015	RAM	11/19/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	97.1	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	104	%	1			SW846 8015 QC	MJM	11/19/04
4-Bromofluorobenzene	98.6	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	97.0	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	103	%	1			SW846 8260 QC	RAM	11/19/04

Approved By: _____

Approved On:11/29/2004 04:41 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: Method Blank water
Project Name: 2004 Method Blank water
Project Number: 2004-Method Blank water
Sampled: 11/18/04 at 08:00 AM
by RAM
Sample Matrix: Water

MID-CONTINENT TESTING LABORATORIES, INC.
2381 S PLAZA DR
RAPID CITY, SD 57702

Lab ID#: 20041118611
Received: 11/18/04 at 08:01 AM
by Robert Miller
Account: W1224
Mid-Continent Testing Laboratories, Inc.

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst	Date
Volatile								
1,2-Dichloroethane	< 0.500	µg/L	1	0.011	0.500	SW846 8260	RAM	11/18/04
Benzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
1,2-Dibromoethane	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Ethylbenzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/18/04
Methyl tertiary-Butyl Ether	< 0.500	µg/L	1	0.010	0.500	SW846 8260	RAM	11/18/04
Naphthalene	< 1.00	µg/L	1	0.015	0.500	SW846 8260	RAM	11/18/04
Toluene	< 0.500	µg/L	1	0.020	0.500	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	< 1.00	µg/L	1	0.043	1.00	SW846 8260	RAM	11/18/04
Total Volatile Hydrocarbons								
TPH as Gasoline	< 100	µg/L	1	4.01	100	SW846 8015	MJM	11/19/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	95.4	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	104	%	1			SW846 8015 QC	MJM	11/19/04
4-Bromofluorobenzene	96.7	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	94.5	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	103	%	1			SW846 8260 QC	RAM	11/18/04

Approved By:

Approved On:11/29/2004 11:09 AM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: Method Blank water
Project Name: 2004 Method Blank water
Project Number: 2004-Method Blank water
Sampled: 11/19/04 at 08:00 AM
by RAM
Sample Matrix: Water

MID-CONTINENT TESTING LABORATORIES, INC.
2381 S PLAZA DR
RAPID CITY, SD 57702

Lab ID#: 20041119611
Received: 11/19/04 at 08:01 AM
by Robert Miller
Account: W1224
Mid-Continent Testing Laboratories, Inc.

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst	Date
Volatile								
1,2-Dichloroethane	< 0.500	µg/L	1	0.011	0.500	SW846 8260	RAM	11/19/04
Benzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/19/04
1,2-Dibromoethane	< 0.500	µg/L	1	0.015	0.500	SW846 8260	RAM	11/19/04
Ethylbenzene	< 0.500	µg/L	1	0.012	0.500	SW846 8260	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 0.500	µg/L	1	0.010	0.500	SW846 8260	RAM	11/19/04
Naphthalene	< 1.00	µg/L	1	0.015	0.500	SW846 8260	RAM	11/19/04
Toluene	< 0.500	µg/L	1	0.020	0.500	SW846 8260	RAM	11/19/04
Xylenes(o,m,p)	< 1.00	µg/L	1	0.043	1.00	SW846 8260	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	< 100	µg/L	1	4.01	100	SW846 8015	MJM	11/23/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	96.9	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	92.3	%	1			SW846 8015 QC	MJM	11/23/04
4-Bromofluorobenzene	97.9	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	96.0	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	98.7	%	1			SW846 8260 QC	RAM	11/19/04

Approved By: _____

Approved On:11/29/2004 11:09 AM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-3, water Lab Duplicate
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/16/04 at 11:45 AM by Mitch Kannenberg
Sample Matrix: Water

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117564
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 5.00	µg/L	10	0.109	5.00	SW846 8260	RAM	11/18/04
Benzene	496	µg/L	200	2.46	100	SW846 8260	RAM	11/19/04
1,2-Dibromoethane	< 5.00	µg/L	10	0.153	5.00	SW846 8260	RAM	11/18/04
Ethylbenzene	1760	µg/L	200	2.40	100	SW846 8260	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 5.00	µg/L	10	0.100	5.00	SW846 8260	RAM	11/18/04
Naphthalene	709	µg/L	200	3.02	100	SW846 8260	RAM	11/19/04
Toluene	170	µg/L	10	0.201	5.00	SW846 8260	RAM	11/18/04
Xylenes(o,m,p)	7600	µg/L	200	8.68	200	SW846 8260	RAM	11/18/04
Total Volatile Hydrocarbons								
TPH as Gasoline	41400	µg/L	50	201	5000	SW846 8015	MJM	11/20/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	95.1	%	1			SW846 8260 QC	RAM	11/18/04
4-Bromofluorobenzene	101	%	1			SW846 8015 QC	MJM	11/20/04
4-Bromofluorobenzene	94.8	%	1			SW846 8260 QC	RAM	11/18/04
Dibromofluoromethane	95.0	%	1			SW846 8260 QC	RAM	11/18/04
Toluene-d8	96.8	%	1			SW846 8260 QC	RAM	11/18/04

Approved By:

Approved On:11/30/2004 12:21 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

Project Name: Triad, Former T&T Std
SAMPLE ID: DP-2, water MS/MSD
SAMPLE DATE: 11/16/2004
ACCOUNT NUMBER: w1374
LAB NUMBER: 20041117503-MS/MSD
DATE RECEIVED: 11/17/2004
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	DP-2, water Matrix Spike (%Recovery)	DP-2, water Matrix Spike Dup. (%Recovery)	RPD (%)	Water Recovery Limits (%)	Date Analyzed
1,2-Dibromoethane	105.	106.	0.9	69.8-118	11/18/2004
1,2-Dichloroethane	104.	90.7	13.7	79.8-108	11/18/2004
Benzene	108.	103.	4.7	85.3-118	11/18/2004
Ethylbenzene	105.	102.	2.9	87.3-113	11/18/2004
Methyl tert-butyl ether(mtbe)	114.	107.	6.3	87.2-123	11/18/2004
Naphthalene	125.	121.	3.3	68.4-146	11/18/2004
Toluene	103.	98.9	4.1	86.3-110	11/18/2004
Xylenes	106.	100.	5.8	88.3-112	11/18/2004

SURROGATE RECOVERY	(%Recovery) (%)	(%Recovery) (%)	RECOVERY LIMITS (%Recovery)
DIBROMOFLUOROMETHANE	95.1	93.4	86-118
1,2-DICHLOROETHANEd-4	98.3	94.7	80-120
TOLUENE$_{d-8}$	96.9	100.	85-115
4-BROMOFLUOROBENZENE	104.	103.	80-120
DATAFILE: 041118-	14.ms	15.ms	

Approved by: [signature]

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT TESTING LABORATORIES, INC.

Project Name: Triad, Former T&T Std
SAMPLE ID: MIP-04, water-MS/MSD
SAMPLE DATE: 11/11/2004
ACCOUNT NUMBER: w1374
LAB NUMBER: 20041117501-MS/MSD
DATE RECEIVED: 11/17/2004
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	DP-2, water Matrix Spike (%Recovery)	DP-2, water Matrix Spike Dup. (%Recovery)	RPD (%)	Water Recovery Limits (%)	Date Analyzed
TPH-Gasoline	104.	114.	9.2	78-119	11/20/2004

SURROGATE RECOVERY	(%Recovery) (%)	(%Recovery) (%)	RECOVERY LIMITS (%Recovery)
4-BROMOFLUOROBENZENE	111.	110.	80-120
DATAFILE: 16_-	11-20-04026	11-20-04027	

Approved by: [signature]

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT
TESTING LABORATORIES, INC.

Project Name:
SAMPLE ID: Lab Control Spike Water
SAMPLE DATE: 11/18/2004
ACCOUNT NUMBER: w1374
LAB NUMBER: 20041118612-LCS
DATE RECEIVED:
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	Lab Control Spike (%Recovery)	Water Recovery Limits (%Recovery)	Date Analyzed
1,2-Dibromoethane	90.5	69.8-118	11/18/2004
1,2-Dichloroethane	92.5	79.8-108	11/18/2004
Benzene	103.	85.3-118	11/18/2004
Ethylbenzene	94.8	87.3-113	11/18/2004
Methyl tert-butyl ether(mtbe)	112.	87.2-123	11/18/2004
Naphthalene	111.	68.4-146	11/18/2004
Toluene	95.4	86.3-110	11/18/2004
Xylenes	100.	88.3-112	11/18/2004
TPH-Gasoline	99.9	78-119	11/20/2004

SURROGATE RECOVERY	(%Recovery)	RECOVERY LIMITS (%Recovery)
DIBROMOFLUOROMETHANE	96.8	86-118
1,2-DICHLOROETHANEd-4	97.1	80-120
TOLUENE$_{d-8}$	99.3	85-115
4-BROMOFLUOROBENZENE	102.	80-120
DATAFILE: 041118-	13.ms	
DATAFILE: 16_-	11-20-04029.	

Approved by: [signature]

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT
TESTING LABORATORIES, INC.

Project Name:
SAMPLE ID: Lab Control Spike Water
SAMPLE DATE: 11/19/2004
ACCOUNT NUMBER: w1374
LAB NUMBER: 20041119612-LCS
DATE RECEIVED:
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	Lab Control Spike (%Recovery)	Water Recovery Limits (%Recovery)	Date Analyzed
1,2-Dibromoethane	88.6	69.8-118	11/19/2004
1,2-Dichloroethane	90.6	79.8-108	11/19/2004
Benzene	93.7	85.3-118	11/19/2004
Ethylbenzene	100.0	87.3-113	11/19/2004
Methyl tert-butyl ether(mtbe)	97.8	87.2-123	11/19/2004
Naphthalene	100.	68.4-146	11/19/2004
Toluene	95.5	86.3-110	11/19/2004
Xylenes	98.4	88.3-112	11/19/2004
TPH-Gasoline	102.	78-119	11/23/2004

SURROGATE RECOVERY	(%Recovery)	RECOVERY LIMITS (%Recovery)
DIBROMOFLUOROMETHANE	92.6	86-118
1,2-DICHLOROETHANEd-4	93.6	80-120
TOLUENE$_{d-8}$	102.	85-115
4-BROMOFLUOROBENZENE	103.	80-120
DATAFILE: 041119-	23.ms	
DATAFILE: 16_-	11-23-04003	

Approved by: [signature]

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-1, 5'-7.5' soil
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/12/04 at 12:17 PM by Mitch Kannenberg
Sample Matrix: Soil

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117541
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374
Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 0.100	mg/kg	1	0.010	0.100	SW846 8260-S	RAM	11/19/04
Benzene	3.24	mg/kg	1	0.019	0.100	SW846 8260-S	RAM	11/19/04
1,2-Dibromoethane	< 0.100	mg/kg	1	0.015	0.100	SW846 8260-S	RAM	11/19/04
Ethylbenzene	19.9	mg/kg	10	0.255	2.00	SW846 8260-S	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 0.100	mg/kg	1	0.006	0.100	SW846 8260-S	RAM	11/19/04
Naphthalene	8.08	mg/kg	1	0.037	0.500	SW846 8260-S	RAM	11/19/04
Toluene	26.2	mg/kg	10	0.180	1.00	SW846 8260-S	RAM	11/19/04
Xylenes(o,m,p)	112	mg/kg	10	0.975	5.00	SW846 8260-S	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	1290	mg/kg	10	9.79	100	SW846 8015-S	MJM	11/22/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	91.6	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	120	%	1			SW846 8015 QC	MJM	11/22/04
4-Bromofluorobenzene	100	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	89.4	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	103	%	1			SW846 8260 QC	RAM	11/19/04

Approved By:

Approved On:11/29/2004 04:48 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-3, 7'-9' soil
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/13/04 at 06:25 PM by Mitch Kannenberg
Sample Matrix: Soil

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117542
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 0.100	mg/kg	1	0.010	0.100	SW846 8260-S	RAM	11/19/04
Benzene	< 0.100	mg/kg	1	0.019	0.100	SW846 8260-S	RAM	11/19/04
1,2-Dibromoethane	< 0.100	mg/kg	1	0.015	0.100	SW846 8260-S	RAM	11/19/04
Ethylbenzene	23.5	mg/kg	4	0.102	0.800	SW846 8260-S	RAM	11/21/04
Methyl tertiary-Butyl Ether	< 0.100	mg/kg	1	0.006	0.100	SW846 8260-S	RAM	11/19/04
Naphthalene	10.1	mg/kg	4	0.148	2.00	SW846 8260-S	RAM	11/21/04
Toluene	0.968	mg/kg	1	0.018	0.100	SW846 8260-S	RAM	11/19/04
Xylenes(o,m,p)	105	mg/kg	4	0.390	2.00	SW846 8260-S	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	1810	mg/kg	10	9.79	100	SW846 8015-S	MJM	11/22/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	90.0	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	127	%	1			SW846 8015 QC	MJM	11/22/04
4-Bromofluorobenzene	96.5	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	89.8	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	104	%	1			SW846 8260 QC	RAM	11/19/04

Approved By:

Approved On:11/29/2004 04:48 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: Method Blank Soil
Project Name: 2004 Method Blank soil
Project Number: 2004 Method Blank soil
Sampled: 11/17/04 at 08:00 AM
by MJM
Sample Matrix: Soil

MID-CONTINENT TESTING LABORATORIES, INC.
2381 S PLAZA DR
RAPID CITY, SD 57702

Lab ID#: 20041117641
Received: 11/17/04 at 08:01 AM
by Marci Medalen
Account: W1224
Mid-Continent Testing Laboratories, Inc.

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst	Date
Volatile								
1,2-Dichloroethane	< 0.100	mg/kg	1	0.010	0.100	SW846 8260-S	RAM	11/19/04
Benzene	< 0.100	mg/kg	1	0.019	0.100	SW846 8260-S	RAM	11/19/04
1,2-Dibromoethane	< 0.100	mg/kg	1	0.015	0.100	SW846 8260-S	RAM	11/19/04
Ethylbenzene	< 0.200	mg/kg	1	0.026	0.200	SW846 8260-S	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 0.100	mg/kg	1	0.006	0.100	SW846 8260-S	RAM	11/19/04
Naphthalene	< 0.500	mg/kg	1	0.037	0.500	SW846 8260-S	RAM	11/19/04
Toluene	< 0.100	mg/kg	1	0.018	0.100	SW846 8260-S	RAM	11/19/04
Xylenes(o,m,p)	< 0.500	mg/kg	1	0.098	0.500	SW846 8260-S	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	< 10.0	mg/kg	1	0.979	10.0	SW846 8015-S	MJM	11/21/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	93.4	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	106	%	1			SW846 8015 QC	MJM	11/21/04
4-Bromofluorobenzene	100	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	92.1	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	102	%	1			SW846 8260 QC	RAM	11/19/04

Approved By:_____

Approved On:11/29/2004 04:54 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

2381 South Plaza Drive P.O. Box 3388 Rapid City, SD 57709
(605) 348-0111 -- www.thechemistrylab.com

Sample Site: DP-1, 5'-7.5' soil Lab Duplicate
Project Name: TRIAD, Former T&T Standard, Woonsocket
Sampled: 11/12/04 at 12:17 PM by Mitch Kannenberg
Sample Matrix: Soil

DENNIS ROUNDS
PETROLEUM RELEASE COMPENSATION FUND
445 E. CAPITOL, SUITE 200
PIERRE, SD 57501

Lab ID#: 20041117561
Received: 11/17/04 at 09:30 AM by Marci Medalen
Account: w1374 Petroleum Release Compensation Fund

Parameter	Result	Units	DF	MDL	PQL	Method	Analyst/Date	
Volatile								
1,2-Dichloroethane	< 0.100	mg/kg	1	0.010	0.100	SW846 8260-S	RAM	11/19/04
Benzene	2.04	mg/kg	1	0.019	0.100	SW846 8260-S	RAM	11/19/04
1,2-Dibromoethane	< 0.100	mg/kg	1	0.015	0.100	SW846 8260-S	RAM	11/19/04
Ethylbenzene	15.2	mg/kg	1	0.026	0.200	SW846 8260-S	RAM	11/19/04
Methyl tertiary-Butyl Ether	< 0.100	mg/kg	1	0.006	0.100	SW846 8260-S	RAM	11/19/04
Naphthalene	10.2	mg/kg	1	0.037	0.500	SW846 8260-S	RAM	11/19/04
Toluene	19.6	mg/kg	1	0.018	0.100	SW846 8260-S	RAM	11/19/04
Xylenes(o,m,p)	82.2	mg/kg	10	0.975	5.00	SW846 8260-S	RAM	11/19/04
Total Volatile Hydrocarbons								
TPH as Gasoline	1110	mg/kg	10	9.79	100	SW846 8015-S	MJM	11/22/04
Surrogate Recovery-Volatile								
1,2-Dichloroethane-d4	93.4	%	1			SW846 8260 QC	RAM	11/19/04
4-Bromofluorobenzene	115	%	1			SW846 8015 QC	MJM	11/22/04
4-Bromofluorobenzene	100	%	1			SW846 8260 QC	RAM	11/19/04
Dibromofluoromethane	92.1	%	1			SW846 8260 QC	RAM	11/19/04
Toluene-d8	102	%	1			SW846 8260 QC	RAM	11/19/04

Approved By: _____

Approved On:11/29/2004 04:49 PM

MIDCONTINENT
TESTING LABORATORIES, INC.

Project Name: Triad, Former T&T STD
SAMPLE ID: Lab Control Spike Soil
SAMPLE DATE: 11/17/2004
ACCOUNT NUMBER: w1224
LAB NUMBER: 20041117642-LCS
DATE RECEIVED:
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	Lab Control Spike-Soil (%Recovery)	Soil Recovery Limits (%Recovery)	Date Analyzed
1,2-Dibromoethane	93.8	77.5-104	11/19/2004
1,2-Dichloroethane	92.4	84.2-98.2	11/19/2004
Benzene	96.9	80.0-108	11/19/2004
Ethylbenzene	103.	75.6-115	11/19/2004
Methyl tert-butyl ether(mtbe)	103.	84.5-111	11/19/2004
Naphthalene	109.	63.2-125	11/19/2004
Toluene	100.	79.0-112	11/19/2004
Xylenes	103.	80.3-114	11/19/2004
TPH-Gasoline	101.	69-119	11/20/2004

SURROGATE RECOVERY	(%Recovery)	**RECOVERY LIMITS** (%Recovery)
DIBROMOFLUOROMETHANE	94.5	86-118
1,2-DICHLOROETHANEd-4	94.2	80-120
TOLUENE$_{d-8}$	106.	85-115
4-BROMOFLUOROBENZENE	101.	80-120
DATAFILE: 041118-	33.ms	
DATAFILE: 16_-	11-20-04032.	

Approved by: _____

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT
TESTING LABORATORIES, INC.

Project Name: Triad, Steve's Amoco
SAMPLE ID: MIP-16(5'-7.5')-ms/msd
SAMPLE DATE: 11/9/2004
ACCOUNT NUMBER: w1374
LAB NUMBER: 20041118541-ms/msd
DATE RECEIVED: 11/18/2004
METHOD: SW-846 8260
UNITS: % Recovery

Dennis Rounds
PRCF
445 E. Capitol, Suite 200
Pierre, SD 57501

PARAMETER:	MIP-16(5'-7.5') Matrix Spike (%Recovery)	MIP-16(5'-7.5') Matrix Spike Dup. (%Recovery)	RPD (%)	Soil Recovery Limits (%)	Date Analyzed
1,2-Dibromoethane	90.9	84.8	6.9	77.5-104	11/20/2004
1,2-Dichloroethane	90.4	88.3	2.4	84.2-98.2	11/20/2004
Benzene	91.1	89.1	2.2	80.0-108	11/20/2004
Ethylbenzene	91.2	88.5	3.0	75.6-115	11/20/2004
Methyl tert-butyl ether(mtbe)	94.8	93.2	1.7	84.5-111	11/20/2004
Naphthalene	92.7	92.1	0.6	63.2-125	11/20/2004
Toluene	91.1	90.3	0.9	79.0-112	11/20/2004
Xylenes	94.3	91.0	3.6	80.3-114	11/20/2004
TPH-Gasoline	97.3	93.6	3.9	69-119	11/21/2004

SURROGATE RECOVERY	(%Recovery) (%)	(%Recovery) (%)	RECOVERY LIMITS (%Recovery)
DIBROMOFLUOROMETHANE	95.0	93.5	86-118
1,2-DICHLOROETHANEd-4	96.3	91.9	80-120
TOLUENE$_{d-8}$	103.0	99.8	85-115
4-BROMOFLUOROBENZENE	96.0	101.	80-120
DATAFILE: 041120-	13.ms	14.ms	
DATAFILE: 16_-	11-21-04001	11-21-04002	

Approved by: [signature]

Date: 11-29-04

COMMENTS:

KEY
MDL= METHOD DETECTION LIMIT
EQL= ESTIMATED QUANTITATION LIMIT, A MULTIPLE OF THE MDL
LCS = LAB CONTROL SPIKE, LAB WATER SPIKED WITH TARGET COMPOUNDS
MS/MSD = MATRIX SPIKE/MATRIX SPIKE DUPLICATE, REPORTED AS PERCENT RECOVERED
RPD = RELATIVE PERCENT DIFFERENCE

2381 South Plaza Drive
P.O. Box 3388
Rapid City, SD 57709
Ph 605/348-0111
www.TheChemistryLab.com

MIDCONTINENT TESTING LABORATORIES, INC.

2381 S. Plaza Dr. • P.O. Box 3388 • Rapid City, SD 57709
(605) 348-0111 • www.TheChemistryLab.com

CHAIN OF CUSTODY RECORD

Company	LB6, INC. / PRCF
Project Name	FORMER T&T STANDARD WOONSOCKET, SD
Project Number	
Sampled by	Signature
Sampled by	Print MITCH KANNENBERG

PRESERVED WITH	HCL
FILTERED (Y/N)	N
REFRIGERATED (Y/N)	Y

FOR LAB USE ONLY	
Seal Intact (Y/N)/Number	
Sample Condition	
Temperature of Container	+/0C

	SAMPLE NAME	DATE	TIME	MATRIX	NO. OF CONTAINERS	TPH-G	BTEX	MTBE	DCA	EDB				COMMENTS	LAB #
1	MIP-04 RAM 11-29-04	11/11/04	16:35	GW	6	X	X	X	X	X					20041117501
2	DP-1, 5'-7.5'	11/12/04	12:17	SOIL	1	X	X	X	X	X				Collaborative Sample for MIP-011	2004.1117.54
3	DP-1	11/12/04	12:30	GW	6	X	X	X	X	X				Collab. Sample for MIP-011	20041117502
4	DP-2 RAM 11-29-04	11/16/04	11:45	GW	6	X	X	X	X	X				Collab. Sample for MIP-017	20041117503
5	DP-3 8'-7-9'	11/13/04	18:25	SOIL	1	X	X	X	X	X				Collab. Sample for MIP-019	2004.1117.542
6	DP-3	11/16/04	13:45	GW	6	X	X	X	X	X				Collab. Sample for MIP-019	20041117504
7	TRIP BLANKS (BY MIDCONT).			WATER	9	X	X	X	X	X					20041117505
8	REPORT TO: DENNIS ROUNDS, PRCF - PIERRE, SD														
9	REPORT COPY TO: MITCH KANNENBERG, LB6 - SIOUX FALLS, SD														
10															
11	INVOICE TO: DENNIS ROUNDS, PRCF - PIERRE, SD														
12															

RELINQUISHED BY (Signature)	COMPANY NAME	DATE	TIME	RECEIVED BY (Signature)	COMPANY NAME	DATE	TIME
	LB6, INC	11/16/04	18:30	Marci Medalen	MCT	11-17-04	9:30

FORM 113C